


L
40
5666
REPT

BIBLIOGRAPHY


OF

THE GENUS *TAKYDROMUS* (LACERTILIA: LACERTIDAE)



HARLAN D. WALLEY

Department of Biology
Northern Illinois University



SMITHSONIAN
HERPETOLOGICAL INFORMATION
SERVICE
NO. 96

1993

SMITHSONIAN
HERPETOLOGICAL
INFORMATION
SERVICE

The SHIS series publishes and distributes translations, bibliographies, indices, and similar items judged useful to individuals interested in the biology of amphibians and reptiles, but unlikely to be published in the normal technical journals. Single copies are distributed free to interested individuals. Libraries, herpetological associations, and research laboratories are invited to exchange their publications with the Division of Amphibians and Reptiles.

We wish to encourage individuals to share their bibliographies, translations, etc. with other herpetologists through the SHIS series. If you have such items please contact George Zug for instructions on preparation and submission. Contributors receive 50 free copies.

Please address all requests for copies and inquiries to George Zug, Division of Amphibians and Reptiles, National Museum of Natural History, Smithsonian Institution, Washington DC 20560 USA. Please include a self-addressed mailing label with requests.

INTRODUCTION

The present bibliography arose of a literature search for a revision of the genus Takydromus. The literature is diverse in topic coverage, and with the recent surge of field work, and publications from the Orient, I felt that a cross-referenced bibliography of the genus would be a valuable contribution to the field of herpetology. So many publications are from obscure journals, not readily obtainable, and easily overlooked in revisions. Biological Abstracts and Zoological Records were the major source of information, although bibliographies and symposium volumes were also valuable sources of information. All aspects of the biology of Takydromus are cited in the following bibliography. The cross referenced index is somewhat general, although the species index should be complete. Literature searching ceased on January 1, 1993.

Under each subject heading is listed an author's name followed by the date for reference to a more complete citation in the literature section at the end of the bibliography. A reference may refer to a paper containing an extensive discussion of a specific topic, or merely a brief statement or abstract. In a recent letter from Dr. F.J. Obst, I was informed of the loss of all type material of Takydromus (Tachydromus) in the Dresden Museum during World War II.

I am especially grateful to Theodore Papenfuss, Hidetoshi Ota, and Ermi Zhao for supplying a number of references I had not previously encountered. I am also especially grateful to Wolfgang Boehme who was particularly helpful during the final stages of preparing this manuscript.

SUBJECT INDEX

Activity: Lin & Lee, 1988; Saint-Girons & Saint-Girons, 1956; Wang, 1964.

Alkaline Phosphatases: Iwahashi, 1951.

Anatomy: Camp, 1923; Miyawaki, 1927.

Androgens: Yamao & Watanabe, 1940.

Arachnid Parasites: Fujimoto & Yamaguti, 1987; Fujimoto, Yamaguti & Takashashi, 1986; Fujita & Takada, 1978; Ootake, et al. 1985; Yoneda, 1981.

Autotomy: Boring, Chang & Chang, 1948; Fukada & Ishihara, 1967.

Avoidance Learning: Johki, 1980; Johki & Hidaka, 1982.

Behavior: Johki, 1980; Johki & Hidaka, 1982; Lin & Lee, 1988.

Bifurcation: Niimi, 1965; Niimi, 1969.

Biochemistry: Iwahashi, S. 1951.

Biogeography: Okada, 1933a; Okada, 1933c; Ota, H., 1991b.

Body Temperature: Wang & Xu, 1987.

Breeding Habits: Aota, 1940; Bannikov, Darevskii, Ishchenko, Rustamov & Shcherbak, 1977; Fukada, 1965; Inukai, 1930; Ishihara, 1964a; Ishihara, 1964b; Liu, 1939; Takenaka, 1979; Takenaka, 1981.

Captivity: Hauschild, 1986; Mattison, 1991.

Cell Culture: Kitamura, 1969.

Cell Division: Inukai, 1934.

Chemoreceptor Organs: Uchida, 1980.

Chemosensory Cells: Iwasaki & Miyata, 1985.

Chromosome Studies: Nakamura, 1928; Nakamura, 1931; Nakamura, 1935; Odierna, et al. 1985; Odierna, et al. 1987; Oguma & Makino, 1931; Oguma & Makino, 1932; Olmo, et al. 1991.

Circumventricular Organs: Tsuneki, 1987.

Clutch Size: Fukada, 1965; Ji, et al. 1987; Takenaka, 1981; Takenaka, 1989; Taylor, 1963; Telford, 1969; Terentev & Chernov, 1949; Yu & Day, 1984.

Cytochemistry: Oota, 1971.

Cytogenetic Studies: Kupriyanova, 1990.

Development: Inukai, 1934; Oka, 1982; Oota & Sakurai, 1983; Oota & Sakurai, 1984.

Defensive Behavior: Mori, 1991.

Digenean Parasites: Jiang, et al. 1984.

Digestion: Ishihara, 1973b.

Diseases: Doi, Oya, & Telford, 1968; Doi, Oya, Shirasaka, Yabe, & Sasa, 1983.

Distribution: Ahl, 1930; Alexander & Diener, 1958; Barbour, 1909; Boettger, 1879; Boettger, 1893; Boettger, 1895; Borkin, Velizhanin, et al. 1981; Borkin & Korotkov, 1981; Boulenger, 1887; Boulenger, 1917; Boulenger 1920; Brongersma, 1931; Brown, 1902; Chang, 1932; Chen, 1991; Cheng & Lin, 1987; Darevsky, 1990; Deng & Jiang, 1992; Dixon, 1956; Doederlein, 1881; Fritze, 1894; Fujimoto & Yamaguti, 1987; Fukada, 1979; Goris, 1965; Gunther, 1888; Hahn, 1960; Hallowell, 1860; Hatta, S., 1910; Hatta, S. 1913; Hatta, S., 1921; Hatta, S. 1928; Haupt, 1978; Hilgendorf, 1880; Hirose, 1929; Hirose, 1931; Huang, 1990; Hokikawa, 1927; Hokikawa, 1930; Hu, Er-mie & Liu, 1966; Hu, Diao, & Liu, 1973; Ji, et al. 1987; Jiang, 1992; Jiang & Zhao, 1992; Johnson, 1969; Kaburaki, 1926; Karson, Lau, & Bogadek, 1986; Koba, 1955; Koba, 1956; Koba, 1957; Koba, 1958; Koba, 1959; Koba, 1960; Kopstein, 1930; Korotkov, 1974; Kuhne, et al. 1910; Kuroda, 1931; Li Dejun, 1989; Liang, 1976; Lin & Cheng, 1980; Lin & Cheng, 1981; Lin & Cheng, 1988; 1990; Lin & Lee, 1988; 1990; Lue, 1987; Lue, et al. 1988; Martens, 1876; Mell, 1922; Mertens, 1929; Mueller, 1878; Nakamura & Ueno, 1969; Namiye, 1904; Nikolski, 1905; Ohno, 1968; Okada, 1929; Okada, 1931; Okada, 1932; Okada, 1933a; Okada, 1933b; Okada, 1938a; Okada, 1938b; Okada, 1940; Okada, 1959; Okada & Hashimoto, 1937; Ota, 1991b; Pope, 1929; Pope, 1956; Robinson & Kloss, 1920; Rooij, 1915; Schenkel, 1902; Schmidt, 1927a; Schmidt, 1927b; Schmidt & Inger, 1957; Selvin, 1925; Selvin, 1930; Selvin, 1937; Shannon, 1956; Shibata, 1960; Shibata, 1966; Shibata, 1981; Stanley, 1914; Stejneger, 1904; Stejneger, 1910; Stejneger, 1924; Sternfeld, 1916; Stoliczka, 1872; Suvatti, 1950; Swinhoe, 1870; Szyndlar, 1984; Szyndlar, 1991; Tanner, 1953; Taylor, 1963; Tchang, 1931; Terentev & Chernov, 1949; Theobald, 1876; Tian & Jiang, 1986; Thompson, 1912; Toyama, 1976; Ueno, 1970; Van Denburgh, 1909; Van

Denburgh, 1912a; Van Denburgh, 1912b; Vogt, 1914; Vogt, 1922; Walley, 1958a; Walley, 1958b; Walley, 1962; Wang, 1964; Wen, 1985; Won, 1971; Wu, 1930; Yoneda, 1981; Yu & Day, 1984, Zhao, et al. 1990.

Distribution of Acid & Alkaline Phosphatases: Iwahaski, 1951.

Ecology: Cheng, 1987; Dixon, 1956; Hahn, 1960; Ishihara, 1965; Ishihara, 1973a; Ishihara, 1973e; Okada, 1932; Okada, 1933b; Pope, 1929; Sengoku, 1973; Takeishi & Ono, 1986; Wang, 1964; Wang, 1966.

Effects of Environment: Bannikov, Darevskii, Ishchenko, Rustamov & Shcherback, 1977.

Effects of Gonadectomy: Takewaki & Fukuda, 1935.

Effects of Synthetic androgen on Kidney: Yamao & Watanabe, 1940.

Egg Laying: Ishihara, S. 1964a; Ishihara, S. 1964b. Korotkov, 1974.

Egg Tooth: Nagahama, 1973.

Eggs: Ishihara, 1964; Kopstein, 1930; Korotkov, 1974; Liu, 1939; 1974; Pope, 1929, Wang, Ji & Ma, 1989.

Embryology: Nakao, 1939; Oka, 1972; Oka, 1976, Oka, 1978; Oka, 1981; Oka, 1982; Oka, 1983; Oka, 1989; Oota & Sakurai, 1983; Oota & Sakurai, 1984; Tsuneki, 1987.

Encephalitis Virus: Doi, Oya, Telford, 1968; Doi, Oya, Shirasaka, Yabe & Sasa, 1983.

Endocrinology: Kehl, 1955.

Epidermal Secretions: Chen, Cheng, & Alexander, 1987.

Evolution: Korotkov, 1974.

Experiments on Organizers: Nakao, 1939.

Fat Bodies: Cheng & Lin, 1978; Cheng & Lin, 1987.

Feeding Habits: Korotkov, 1974; Minobe, 1927; Wang, 1964.

Food Preferences: Jackson & Telford, 1975.

Food Intake: Ishihara, 1973b.

General: Bellairs, 1970; Gans, 1949; Halliday & Adler, 1986; Mattison, 1991; Mertens, 1960; Pope, 1956; Sowerby, 1922.

Genital Tubercles: Oka, 1982.

Geographical Variation: Korotkov, 1974.

Glands: Oota, 1971; Oota, 1979; Oota & Sakurai, 1983; Oota & Sakurai, 1984; Ota, T., 1973.

Glycolipids: Nishimura, 1987.

Golgi Bodies: Hatta, 1944.

Gonadectomy: Hatta, 1941; Takewaki & Fukuda, 1935a.

Growth: Takeishi, 1987; Takenaka, 1980.

Hatching: Ishihara, 1964b; Liu, 1935; Wang, Ji & Ma, 1989.

Hemipenial Structure: Boehme, 1971; Boehme, 1988.

Hibernation Sites: Takeishi & Ono, 1986.

Hind Limb Regeneration: Okada, 1945.

Histochemistry: Uchida, 1980.

Histology: Chen, Cheng, & Alexander, 1987; Nagahama, 1973; Oguro, 1969; Tsuneki, 1987.

Home Range: Lin & Lee, 1988; Takeishe & Ono, 1986.

Homing Behavior: Ishihara, 1969.

Hypothalamo-neurohypophyseal System: Oota, 1971; Oota & Sakurai, 1983; Oota & Sakurai, 1984.

Immobility: Response to Predator, Mori, 1991.

Incubation Temperature Effects: Oka, 1981.

Intestine, Comparative Study: Nishimura, 1987.

Interrenal Ultrastructure: Oka, 1981.

Ito Cells: Taira & Mutoh, 1981.

Ixodes: Fujimoto, Yamaguti & Takashashi, 1986; Fujimoto & Yamaguti, 1987;
Fujimoto, Yamaguti & Takashashi 1987; Fujita & Takada, 1978; Ootake, et al.,
1985; Yoneda, 1981.

Juveniles: Liu, 1939.

Keys: Boulenger, 1917; Boulenger, 1921, Gunther, 1888; Kang & Yoon, 1975;
Nakamura & Ueno, 1969; Pope, 1935; Smith, 1935; Stejneger, 1907; Terentev &
Chernov, 1949; Tian & Jiang, 1986; Yang & Inger, 1986.

Kidney: Yamao & Hikonori, 1940.

Life History: Liu, 1935; Liu, 1939.

Lipid Studies: Nishimura, 1987.

Liver Studies: Cheng & Lin 1978. Cheng & Lin, 1987; Taira & Mutoh, 1981.

Locomotion: Schmidt & Inger, 1957.

Longevity: Ishihara, 1973c; Ishihara, 1973f.

Malaria: Telford & Ball, 1969; Telford, 1972.

Melanosomes: Mori, 1989.

Metabolic Rate: Wang & Xu, 1987.

Morphogenesis: Oka, 1971.

Morphology: Cheng, 1987; Takenaka, 1982.

Neurohypophysis: Oota, 1979.

Neurosecretions: Oota & Sakurai, 1984.

Ovarian Cycle: Telford, 1969.

Ovarian Follicle Size: Takenaka, 1978.

Oxygen Consumption: Wang, Ji, & Ma, 1989.

Parasites: Fujimoto & Yamaguti 1987; Fujimoto, Yamaguti & Takashashi, 1986; Fujita & Takada, 1978; Ishii, et al. 1976; Jiang, et al. 1984; Ootake, et al. 1985; Telford & Ball, 1969; Telford, 1972; Telford, 1982a; Telford, 1982b; Telford, 1989; Yoneda, 1981.

Parathyroid Glands: Isono, et al. 1979; Oguro, 1969.

Parietal Eye: Tatsuka, 1920.

Parthogenesis: Ishii, et al. 1976.

Physiology: Chen, S.F. et al. 1987; Cheng, 1987; Cheng & Lin, 1987; Hatta, 1941; Ishihara, 1973; Ishihara, 1975; Isono, et al. 1979; Iwahashi, 1951; Nishimura, 1987; Oka, 1972; Oota, 1979; Takewaki & Fukuda, 1935; Telford, 1969; Telford, 1970; Wang Peichao, et al. 1987; Wang, et al. 1989; Yamao, et. al. 1940.

Pigmentary Pattern: Liang, 1976.

Pituitary Gland: Oota & Sakurai, 1983.

Plasmodium Sasai: Telford & Ball, 1969; Telford, 1972; Telford, 1982a; Telford, 1982b.

Population Dynamics: Haupt, 1978.

Population Size: Ishihara, 1973a; Ishihara, 1973e.

Population Structure: Telford, 1969.

Predation: Fukada, 1958; Jackson & Telford, 1975; Shibata, 1970.

Prey: Johki, 1980; Johki & Hidaka, 1982.

Protozoan Parasites: Ishii, Takaoka, Kano, & Suzuki, 1976; Telford & Ball, 1969; Telford, 1972; Telford, 1982a; Telford, 1982b; Telford, 1989.

Pteridine Derivatives: Odata, et al. 1959.

Regeneration: Boring, Chang & Chang, 1948; Okada, 1945.

Reproduction: Chenj, 1987; Cheng & Lin, 1978; Cheng & Lin, 1987; Fitch, 1970; Ishihara, 1964a; Ishihara, 1964b; Ji, et al. 1987; Kehl, 1955; Kopstein, 1930; Korotkov, 1974; Okada, 1932; Pope, 1929; Takeishi & Ono, 1986; Takenaka,

1979; Takenaka, 1980; Takenaka, 1981; Takenaka, 1989; Taylor, 1963; Telford, 1969.

Running Speed: Ishihara, 1973d.

Salt Water Association: Neill, 1958.

Serum Studies: Iwamatsu, 1983.

Sex Determination Genetics: Olmo, et al. 1984.

Sex Ratios: Telford, 1969.

Sexual Dimorphism: Toyama, 1976.

Sexual Maturity: Takenaka, 1978.

Shell Gland: Ota, T., 1973.

Size & Weight: Cheng & Lin, 1987.

Skin: Mori, 1989; Odate, et al. 1959.

Sperm Ducts: Chen, Cheng & Alexander, 1987.

Spermatozoa: Takewaki & Fukuda, 1935b.

Spermatogenesis: Oka, 1972; Oka, 1973; Oka & Fujiwara, 1973.

Swimming Speed: Ishihara, 1973d.

Taste Buds: Nomura, 1936; Uchida, 1980.

Tail Variation Role as Defensive Strategy: Mori, 1990.

Taxonomy: Ahl, 1930; Arnold, 1989; Barbour, 1917; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Cheng, 1987; Daudin, 1803; Gray, 1825; Gray, 1838; Liang, 1976; Lin & Cheng, 1980; Lin & Cheng, 1981; Liu, 1939; Odiera, et al. 1987; Ota, H., 1991; Peters, 1881; Shibata, 1966; Stejneger, 1904; Stejneger, 1924; Szyndlar, 1984; Van Denburgh, 1912a; Van Denburgh, 1912b; Vogt, 1914; Walley, 1958a; Walley, 1958b; Walley, 1962.

Teeth: Nagahama, 1973.

Territoriality: Sengoku, 1973.

Testicular Interstitial Cells: Oka, 1976.

Testicular Transplants: Takewaki & Fukuda, 1935a; Talewaki & Fukuda, 1935b.

Thermoregulation Cycle: Saint-Girons & Saint-Girons, 1956.

Tissue Culture: Kitamura, 1969.

Type Specimens: Ahl, 1930; Barbour & Loveridge, 1946; Boettger, 1893; Boulenger, 1887; Boulenger, 1894; Boulenger, 1917; Brygoo, 1988; Cochran, 1961; Crippen, 1962; Cuvier, 1829; Daudin, 1803; Doi, 1920; Doi, 1929; Dumeril & Bibron, 1839; Fischer, 1885; Gray, 1838; Guibe, 1954; Gunther, 1864; Hilgendorf 1880; Jerdon, 1870; Liang, 1976; Lin & Cheng, 1981; Mueller, 1878; Thompson, 1912; Peters, 1863; Peters, 1881; Schegel, 1838; Schenkel, 1902; Selvin & Leviton, 1956; Smith, 1935; Stejneger, 1904; Stejneger, 1907; Stejneger, 1924; Van Denburgh, 1909; Van Denburgh, 1912a; Van Denburgh, 1912b; Vogt, 1914; Walley, 1958a; Walley, 1958b; Walley, 1962; Welch, et al., 1990.

Ultrastructure: Isono, et al. 1979; Iwasaki & Miyata, 1985; Oka, 1972; Oka, 1976; Oka, 1989; Oka & Fujiwara, 1973; Oota, 1979; Oota & Sakurai, 1984; Ota T., 1973; Taira & Mutoh, 1981; Uchida, 1980.

Viscral Pouches: Oka, 1971.

Zoogeography: Hatta, S., 1913; Hatta, S., 1921; Hatta, S. 1928; Kano, 1940; Kuroda, 1931; Okada, 1933b; Okada, 1940.

TAXONOMIC INDEX

Apeltonotus Boulenger, 1917.

Apeltonotus dorsalis Boulenger, 1917; Takenaka, 1989.

Lacerta tachydromoides = Takydromus tachydromoides Schegel, 1837; Boulenger, 1887; Boulenger, 1917; Stejneger, 1907.

Platyplacopus Arnold, 1989; Boulenger, 1917.

Platyplacopus dorsalis, Barbour & Loveridge, 1946.

Platyplacopus intermedius, Barbour & Loveridge, 1946; Li Dejun, 1989; Stejneger, 1924.

Platyplacopus kuehnei, Boulenger, 1917; Li Dejun, 1989; Lin & Cheng, 1980; Lin & Cheng, 1990; Ota, H., 1991; Van Denburgh, 1909.

Platyplacopus kuehnei carinatus, Crippen, 1962.

Platyplacopus sylvaticus Pope, 1928.

Tachidromus Latreille, 1804 = Takydromus, Romer, 1956.

Tachydromus Ossel, 1811 = Takydromus Daudin 1802; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Camp, 1923; Gray, 1825; Matschie, 1893; Romer, 1956; Smith, Lewis & Smith, 1967; Theobald, 1876.

Tachydromus sp., Beuchat, 1986; Cope, 1898; Doederlein, 1881.

Tachydromus amurensis, Borkin & Korotkov, 1981, Borkin, Velizhanin, Korotkova & Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Korotkov, 1981, Gunther, 1888; Nikolski, 1905; Peters, 1881.

Tachydromus chinensis Vogt, 1914.

Tachydromus formosanus Boulenger, 1894a; Boulenger, 1917; Boulenger, 1921; Oguma & Makino, 1932; Stejneger, 1907; Thompson, 1912.

Tachydromus haughtonianus Anderson, 1871; Boulenger, 1887; Boulenger, 1921; Gunther, 1888; Jerdon, 1870; Stoliczka, 1872; Theobald, 1876.

Tachydromus holsti Boulenger, 1894b.

Tachydromus japonicus, Boulenger, 1887; Boulenger, 1921; Brygoo, 1988; Dumeril & Bibron, 1839; Gunther, 1888; Hallowell, 1860; Martens, 1876; Mueller, 1878; Mueller, 1887; Okada & Hashimoto, 1937.

Tachydromus khasiensis Boulenger, 1917; Boulenger, 1921.

Tachydromus kwangsiensis Ahl, 1930; Pope, 1935.

Tachydromus kuehnei Boulenger, 1921; Hilgendorf, 1880; Vogt, 1914.

Tachydromus meridionalis Boulenger, 1887; Gunther, 1864; Gunther, 1888.

Tachydromus ocellatus Boulenger, 1887; Cuvier, 1829;

Tachydromus quadrilineatus, Boulenger, 1887; Daudin, 1803; Wiegmann, 1834.

Tachydromus sauteri Boulenger, 1921.

Tachydromus septentrionalis, Boulenger, 1917; Boulenger, 1921; Gunther, 1864; Gunther, 1888; Gunther, 1896; Mell, 1922; Nakamura, 1935; Swinhoe, 1870; Thompson, 1912; Vogt, 1922.

Tachydromus sexlineatus Boulenger, 1921; Brongersma, 1931; Daudin, 1803; Gray, 1825; Gray, 1845; Guibe, 1954; Gunther, 1864; Gunther, 1888; Gunther, 1888; Hallowell, 1860; Okada & Hashimoto, 1937; Stoliczka, 1901; Theobald, 1876.

Tachydromus sexlineatus aeneofuscus Boulenger, 1887; Peters, 1863.

Tachydromus sexlineatus meridionalis Stejneger; Schmidt, 1927; Stejneger, 1925.

Tachydromus sexlineatus sexlineatus Boulenger, 1887.

Tachydromus smaragdinus, Boettger, 1895; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Brygoo, 1988; Guibe, 1954; Gunther, 1888; Schenkel, 1902.

Tachydromus septentrionalis Gunther, 1864; Gunther, 1888; Mell, 1922; Oguma & Makino, 1932; Stejneger, 1910; Stanley, 1914; Swinhoe, 1870; Thompson, 1912.

Tachydromus sikkimensis Gunther, 1864; Boulenger, 1917.

Tachydromus tachydromoides, Boettger, 1879; Boettger, 1893; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Brygoo, 1988; Guibe, 1954; Gunther, 1888; Miyawaki, 1927; Namiye, 1904; Nakamura, 1928; Oguma & Makino, 1931; Okada & Hashimoto, 1937.

Tachydromus typus Boulenger, 1887; Gray, 1838.

Tachydromus typus = Poromera gen. nov. Boulenger, 1887.

Tachydromus wolteri Borkin & Korotkov, 1981; Borkin, Velizhanin, Korotkova & Korotkov, 1981; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Fischer, 1885; Gunther, 1888.

Tachysaurus japonicus Boulenger, 1917; Gray, 1845.

Takydromus Arnold, 1989; Bellairs, 1970; Boehme, 1971; Boehme, 1988; Boulenger, 1920; Brygoo, 1988; Daudin, 1803; Fitch, 1970; Gans, 1949; Guibe, 1954; Inukai, 1934; Kano, 1940; Lue, Chen & Chang, 1992; Mertens, 1960; Ota, H. 1991b; Smith, et al. 1967; Romer, 1956; Szyndlar, 1984; Telford, 1982b; Tian & Jiang, 1986; Welch, et al. 1990; Yang & Inger, 1986.

Takydromus sp. Deng & Jiang, 1992; Doederlein, 1881.

Takydromus amurensis Borkin & Korotkov, 1981; Borkin, et al. 1981; Boulenger, 1921; Dixon, 1956; Ji, et al. 1987; Kang & Yoon, 1975; Korotkov, 1974; Kupriyanova, 1990; Liu, 1939a; Okada, 1933b; Olmo, et al. 1991; Peters, 1881; Schmidt, 1927a; Selvin, 1925; Shannon, 1956; Shibata, 1966; Sowerby, 1922; Stejneger, 1907; Szyndlar, 1984; Szyndlar, 1991; Takenaka, 1989; Tanner, 1953; Terentev & Chernov, 1949; Walley, 1958a; Walley, 1962; Welch, et al. 1990; Won & Choy, 1967; Won, 1971.

Takydromus aureralis Kang & Yoon, 1975 (orthographic error).

Takydromus auroralis Doi, 1929; Kang & Yoon, 1975; Shannon, 1956; Shibata, 1966; Szyndlar, 1984; Walley, 1962; Welch, et al. 1990.

Takydromus dorsalis Barbour & Loveridge, 1946; Kaburaki, 1926; Kuroda, 1931; Liu, 1939a; Okada, 1929; Okada, 1933b; Okada, 1940; Stejneger, 1904; Stejneger, 1907; Takenaka, 1989; Van Denburgh, 1912a.

Takydromus dorsalis = Apeltonotus gen. nov., Boulenger, 1917.

Takydromus formosanus Barbour, 1917; Boulenger, 1894a; Boulenger, 1917; Boulenger, 1921; Cheng, 1987a; Hatta, S., 1928; Horikawa, 1930; Kaburaki, 1926; Liang, 1976; Lin & Cheng, 1981; Lin & Cheng, 1990; Lin & Lee, 1988; Liu, 1939; Lue, 1987; Lue, et al. 1988; Nakamura, 1931; Oguma & Makino, 1932; Oguma & Makino, 1937; Okada, 1933b; Okada, 1940; Ota, H., 1991a; Ota, H., 1991b; Stejneger, 1907; Stejneger, 1910; Takenaka, 1989; Thompson, 1912; Van Denburgh, 1912a; Wang & Wang, 1956.

Takydromus haughtonianus Boulenger, 1887; Boulenger, 1921; Welch, et al. 1990.

Takydromus holsti, Boulenger, 1894b; Boulenger, 1917; Okada, 1938b.

Takydromus hsuehshanensis Lin & Cheng, 1981; Lin & Cheng, 1990; Lue, 1987; Lue, et al. 1988; Ota, H. 1991b; Takenaka, 1989; Welch, et al. 1990.

Takydromus intermedius, Barbour & Loveridge, 1946; Chang, 1932; Cochran, 1961; Liu, 1939a; Schmidt, 1927a; Stejneger, 1924; Wu, 1930.

Takydromus japonicus, Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Dumeril, Bibron, & Dumeril, 1839; Dumeril & Dumeril, 1851; Okada, 1938b.

Takydromus khasiensis, Boulenger, 1921; Cochran, 1961.

Takydromus kuehnei, Boulenger, 1917; Boulenger, 1921; Hilgendorf, 1880; Lin & Cheng, 1980; Lin & Cheng, 1990; Okada, 1933b; Okada, 1940; Ota, H., 1991b; Selvin & Leviton, 1956; Stejneger, 1910; Van Denburgh, 1909; Van Denburgh, 1912a.

Takydromus kuehnei = Platyplacopus gen. nov., Boulenger, 1917.

Takydromus kwangakuensis, Dixon, 1956; Doi, 1920; Kang & Yoon, 1975; Shannon 1956; Shibata, 1966; Szyndlar, 1984; Walley, 1958a; Welch, et al. 1990.

Takydromus kwangsiensis Ahl, 1930; Pope, 1935.

Takydromus meridionalis, Boulenger, 1887.

Takydromus ocellatus, Boulenger 1887; Cuvier, 1829; Suvatti, 1950.

Takydromus quadrilineatus, Boulenger, 1887; Brygoo, 1988; Daudin, 1803; Lin & Cheng, 1990.

Takydromus sauteri, Boulenger, 1917; Boulenger, 1921; Hirose, 1929; Hokikawa, 1927; Lin & Cheng, 1981; Lin & Cheng, 1990; Lue, 1987; Lue, et al. 1988; Okada, 1929; Okada, 1932; Okada, 1933b; Okada, 1938a; Okada, 1940; Ota, 1991b; Selvin & Leviton, 1956; Stejneger, 1910; Sternfeld, 1916; Van Denburgh, 1909; Van Denburgh, 1912a; Wang & Wang, 1956; Welch, et al. 1990; Yu & Day, 1984.

Takydromus septentrionalis, Bannikov, et al., 1977; Boring, et al., 1948; Boulenger, 1921; Chang, 1932; Chang & Chang, 1948; Chen, 1991; Cheng & Lin, 1978; Cheng, 1987a; Cochran, 1930; Hu, Er-mie & Liu, 1973; Jiang, et al. 1984; Kano, 1940; Hatta, S., 1928; Hu, Er-mie, & Liu, 1973; Huang, 1990; Jiang & Zhao, 1992; Kang & Yoon, 1975; Li Dejun, 1989; Liang, 1976; Liu, 1935; Liu, 1939a; 1939b; Lue, 1988; Mertens, 1929; Muller & Hellmich, 1940; Nakamura, 1931; Nakamura, 1935; Oguma & Makino, 1932; Oguma & Makino, 1937; Okada, 1931; Okada, 1938a; Okada, 1940; Pope, 1929; Pope, 1956; Schmidt, 1927a; Stanley, 1914; Stejneger, 1910; Sternfeld, 1916; Stejneger, 1910; Swinhoe, 1870; Takenaka, 1989; Tchang, 1931; Van Denburgh, 1909; Van Denburgh, 1912a; Wang, 1964; Wang, 1966; Wang & Xu, 1987; Wang, Ji, & Ma, 1989; Wang & Wang, 1956; Wen, 1985; Welch, et al. 1990; Wu, 1930.

Takydromus sexlineatus, Boulenger, 1921; Brown, 1902; Brygoo, 1988; Darevsky, 1990; Daudin, 1803; Fitch, 1970; Guibe, 1954; Halliday & Adler, 1986; Kopstein, 1930; Lin & Cheng, 1990; Mattison, 1991; Odierna, et al. 1985; Odierna, et al. 1987; Okada, 1938b; Olmo, et al. 1984; Olmo, al. 1985; Olmo, et al. 1991; Robinson & Kloss, 1920; Saint-Girons & Saint-Girons, 1956; Schmidt, 1927a; Schmidt & Inger, 1957; Stoliczka, 1872; Suvatti, 1950; Takenaka, 1989; Taylor, 1963.

Takydromus sexlineatus aeneofuscus, Boulenger, 1887; Peters, 1863.

Takydromus sexlineatus khasiensis Smith, 1935; Welch, et al. 1990.

Takydromus sexlineatus meridionalis, Glass, 1946; Hu, Er-mie, & Liu, 1973; Liu, 1939a; Pope, 1929; Schmidt, 1927a; Schmidt, 1927b; Stejneger, 1925; Takenaka, 1989; Welch, et al. 1990.

Takydromus sexlineatus ocellatus, Hauschild, 1986; Huang, 1990; Karson, Lau, & Bogadek, 1986; Welch, et al. 1990.

Takydromus sexlineatus sexlineatus, Boulenger, 1887; Brygoo, 1988; Loveridge, 1945; Welch, et al. 1990.

Takydromus smaragdinus Barbour, 1909; Boettger, 1895; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Fritze, 1894; Guibe, 1954; Hatta, S., 1928; Haupt, 1978; Johnson, 1969; Koba, 1955; Koba, 1956; Koba, 1957; Koba, 1958; Koba, 1959; Koba, 1960; Kuroda, 1931; Liu, 1939a; Nakamura & Ueno, 1969; Neill, 1958; Okada, 1933b; Okada, 1938a; Okada, 1959; Schenkel, 1902; Shibata, 1960; Stejneger, 1904; Stejneger, 1907; Sternfeld, 1916; Takenaka, 1981; Takenaka, 1989; Telford, 1972; Telford, 1982a; Toyama, 1976; Van Denburgh, 1912a; Welch, et al. 1990.

Takydromus stejnegeri Barbour, 1917; Boulenger, 1917; Boulenger, 1921; Cheng, 1987a; Cheng, 1987b; Cheng & Lin, 1987; Chen, Cheng & Alexander, 1987; Lin & Cheng, 1981; Lin & Cheng, 1990; Lue, 1987; Lue, et al. 1988; Okada, 1933b; Okada, 1940; Ota, H. 1991b; Slevin & Leviton, 1956; Takenaka, 1989; Van Denburgh, 1912a; Van Denburgh, 1912b.

Takydromus tachydromoides Alexander & Diener, 1958; Aota, 1940; Barbour, 1909; Boettger, 1879; Boettger, 1893; Boulenger, 1887; Boulenger, 1917; Boulenger, 1921; Doi, Oya & Telford, 1968; Doi, Oya, Shirasaka, Yabe, & Sasa, 1983; Fitch, 1970; Fritze, 1894; Fujimoto & Yamaguti, 1987; Fujimoto, Yamaguti & Takashashi, 1986; Fujimoto, Yamaguti & Takahashi (b); Fujita & Takada, 1978; Fukada, 1958; Fukada, 1965; Fukada, 1979; Fukada & Ishihara, 1967; Goris, 1965; Guibe, 1954; Hatta, 1941; Hatta, K., 1944; Hatta, S., 1910; Hatta, S. 1913; Hatta, S., 1928; Hirose, 1931; Inukai, 1930; Inukai, 1934; Ishihara, 1964a; Ishihara, 1964b; Ishihara, 1965; Ishihara, 1969; Ishihara, 1973a; Ishihara, 1973b; Ishihara, 1973c; Ishihara, 1973d; Ishihara, 1973e; Ishihara, 1973f; Ishii, et al., 1976; Isono, et al. 1979; Iwahashi, 1951; Iwamatsu, 1983; Iwasaki & Miyata, 1985; Jackson & Telford, 1975; Johki, 1980; Johki & Hidaka, 1982; Kaburaki, 1926; Kehl, 1955; Kitamura, 1969; Koba, 1955; Kuhne, et al. 1910; Lin & Cheng, 1981; Minobe, 1927; Mori, 1989; Mori, 1990; Mori, 1991; Nagahama, 1973; Nakamura & Ueno, 1969; Nakao, 1939; Namiye, 1904; Niimi, 1965; Niimi, 1969; Nishimura, 1987; Nomura, 1936; Odate,

et al. 1959; Oguma & Makino, 1931; Oguma & Makino, 1937; Oguro, 1969; Ohno, 1968; Oka, 1971; Oka, 1973; Oka, 1972; Oka, 1973; Oka, 1976; Oka, 1978; Oka, 1981; Oka, 1982; Oka, 1983; Oka, 1989; Oka & Fujiwara, 1973; Okada, 1931; Okada, 1933a; Okada, 1933b; Okada, 1938a; Okada, 1938b; Okada, 1940; Okada, 1945; Oota, 1971; Oota 1979; Oota & Sakurai, 1983; Oota & Sakurai, 1984; Ootake, et al. 1985; Ota, T., 1973; Schwenk, 1985; Selvin, 1930; Selvin, 1937; Sengoku, 1973; Shannon, 1956; Shibata, 1966; Shibata, 1970; Shibata, 1981; Stejneger, 1904; Stejneger, 1907; Sternfeld, 1916; Szyndlar, 1984; Taira & Mutoh, 1981; Takeishi, 1987; Takeishi & Ono, 1986; Takenaka, 1978; Takenaka, 1979; Takenaka, 1980; Takenaka, 1981; Takenaka, 1982; Takenaka, 1989; Takenaka & Fukuda, 1935a; Takewaki & Fukuda, 1935b; Tatsuka, 1920; Telford & Ball, 1969; Telford, 1969; Telford, 1972; Telford, 1982a; Telford, 1982b; Telford, 1989; Tsuneki, 1987; Uchida, 1980; Ueno, & Shibata, 1970; Van Denburgh, 1909; Van Denburgh, 1912a; Van Denburgh, 1912b; Walley, 1958b; Welch, et al. 1990; Won, 1971; Yamao & Hikonori, 1940; Yamao & Watanabe, 1940; Yoneda, 1981.

Takydromus tachydromoides oldi, Cochran, 1961; Kang & Yoon, 1975; Szyndlar, 1984; Walley, 1958b.

Takydromus typus, Boulenger, 1887.

Takydromus wolteri Borkin & Korotkov, 1981; Borkin, et al. 1981; Boulenger, 1887; Boulenger, 1921; Dixon, 1956; Hahn, 1960; Huang, M. 1990; Ji, et al. 1987; Jiang, 1992; Jiang & Zhao, 1992; Kang & Yoon, 1975; Liu, 1939a; Schmidt, 1927a; Selvin, 1925; Shannon, 1956; Shibata, 1966; Stejneger, 1907; Szyndlar, 1984; Szyndlar, 1991; Takenaka, 1989; Welch, et al. 1990; Won, 1971.

Takydromus wolteri var. cupreus Pavlov, 1932.

Takydromus wolteri var. mandchuriensis Pavlov, 1932.

Trachysaurus Gray, 1845 = Takydromus Romer, 1956.

- AHL, E. 1930. Beitrage zur Lurch-und Kreichtler fauna Kwangsi: 5. Eidechsen. Sitzberg. Ges. Naturf., Freunde Berlin 1:326-331.
- ALEXANDER, D.R. & DIENER, R.A. 1958. A collection of amphibians and reptiles from Japan. Copeia 1958: 218-219.
- ANDERSON, J. 1871. On some Indian reptiles. Proc. Zool. Soc. Lond. 1871:149-211.
- ANNANDALE, N. 1912. Reptilia: Zoological Results of the Abor Expedition 1911-1912 Records Indian Mus. 8(1):37-59.
- AOTA, S. 1940. About the breeding habits of the arboreal lizard (Japalura sp.). Japanese Trans. Nat. Hist. Soc. Formosa 30(205):402-405.
- ARNOLD, E.N. 1989. Towards a phylogeny and biogeography of the Lacertidae: Relationships within an old-world family of lizards derived from Morphology. Bull British Mus. Nat. Hist. Lond. 55(2):209-257.
- BANNIKOV, A.G, DAREVSKII, I.S., ISHCHEŃKO, V.G., RUSTAMOV, A.K. & SHCHERBAK, N.N. 1977. Guide to amphibians and reptiles of the USSR fauna. Prosveshchenie, Moskva: 1-415, illus. (In Russian).
- BARBOUR, T. 1909. Notes on amphibia and reptilia from eastern Asia. Proc. New England Zool. Club 4: 53-78.
- BARBOUR, T. 1917. A most regretable [sic] tangle of names. Occas. Papers Mus. Zool. Univ. Mich. 44:1-9.
- BARBOUR, T. & LOVERIDGE, A. 1946. First supplement to typical reptiles and amphibians. Bull. Mus. Comp. Zool. 96(2):59-214.
- BELLAIRS, A. 1970. The life of Reptiles. Vol. II. Universe Books, N.Y. 590 pp.
- BOEHME, W. 1971. Über das Stachelepithel am Hemipenis Lacertider Eidechsen und seine Systematische Bedeutung. Z. zool. Syst. Evolutionsf., Hamburg 9(3):187-223.
- BOEHME, W. 1988. Zur Genitalmorphologie der Sauria: Funktionelle und Stammesgeschichtliche Aspekte. Bonn. zool. Monogr. 27: 1-176.
- BOETTGER, O. 1879. (Eingehende Beschreibung der Reptilien und Amphibien Japans). Berichte und Mitteil. Offenbacher Vereinigung der Naturkunde 17:17-18. 1878.
- BOETTGER, O. 1884. Materialien zur Herpetologischen Fauna von China I. Ber. offenk. Ver. 115-170.
- BOETTGER, O. 1893. Katalog der reptiliensammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft in Frankfurt am Main. I. Teil (Rhynchocephalen, Schildroten, Krokodile, Eidechsen, Chamaleons). Frankfurt a. M. i-x + 140 pp.
- BOETTGER, O. 1895. Neue Frosche und Schlangen von den Liu-Kiu-Inseln. Berichte und Mitteilungen der Offenbacher Vereinigung der Natur. 33-6 (1895):101-117.
- BORING, A.M., CHANG, L.F. & CHANG, W.H. 1948. Autotomy and regeneration in the tail of lizards. Peking Nat. Hist. Bull. 17(1):85-106.
- BORKIN, L.J., VELIZHANIN, A.G., KOROTKOVA, E.B. & KOROTKOV, Yu. M. 1981. On the herpetofauna of Islands in Gulf of Peter the Great. pp. 24-27, In: Borkin (ed), Herpetological Investigations in Siberia & the Far East. Acad. Sci. USSR Zool. Inst.
- BORKIN, L.J., & KOROTKOV, Yu M. 1981. On protection of amphibians and reptiles of

- Siberia and the Far East of the USSR. pp. 28-37. In: Borkin (ed), Herpetological Investigations in Siberia & the Far East. Acad. Sci. USSR Zool. Inst.
- BOULENGER, G.A. 1887. On a collection of reptiles and batrachians made by Mr. H. Prys in the Loo Choo Islands. Proc. Zool. Soc. Lond. 1887:146-150.
- BOULENGER, G.A. 1887. Catalogue of the lizards in the British Museum (Natural History). 2nd ed. Volume III. Lacertidae, Gerrhosauridae, Scincidae, et al. London: xii + 575 pp. 40 pls.
- BOULENGER, G.A. 1890. A list of the reptiles and batrachians of Amoorland. Ann. Nat. Hist. (6) V:137-144. illus.
- BOULENGER, G.A. 1894. Description of a new lizard and a new fish obtained in Formosa by Mr. Holst. Ann. Nat. Hist. (6) XIV:1894:462-463.
- BOULENGER, G.A. 1894. Second report on additions to the lizard collection in the Natural History Museum. Proc. Zool. Soc. Lond. 1884:722-736. illus.
- BOULENGER, G.A. 1899. On a collection of reptiles and batrachians made by Mr. J.D. La Touche in northwest Fokien, China. Proc. Zool. Soc. Lond. 1899:159-172.
- BOULENGER, G.A. 1917. A Revision of the lizards of the genus Tachydromus. Mem. Asiatic Soc. Bengal, Calcutta 5(6):207-235.
- BOULENGER, G.A. 1920. Reptiles and batrachians collected in Korinchi, West Sumatra, by Messr. H.C. Robinson & C. Boden Kloss. Jour. Federate Malay States Mus. 8(2):285-306. illus.
- BOULENGER, G.A. 1921. Monograph of the Lacertidae. Volume 2. Lond. 451 pp.
- BRONGERSMA, L.D. 1931. Resultats Scientifiques du voyage aux Indes Orientales Neerlandaises de LL.AA. RR. le Prince et la Princesse Leopold de Belgique: Reptilia. Mem. Mus. Royal d'Hist. Nat. de Belgique 5(2):3-39, pls. 1-3.
- BROWN, A.E. 1902. A collection of reptiles and batrachians from Borneo and the Loo Choo Islands. Proc. Nat. Acad. Sci. Phila. 1902:175-184.
- BRYGOO, E. R. 1988. Les types de Lacertides (Reptiles, Sauriens) du Museum national d'Histoire naturelle Catalogue critique. Bull. Mus. natn. Hist. nat. 4 ser. 10, sect. A 1:3-57. 2 figs.
- CAMP, C.L. 1923. Classification of the lizards. Bull. Amer. Mus. Nat. Hist. 48(11): 289-481.
- CHANG, M.L.Y. 1932. Notes on a collection of reptiles from Szechuan. Contr. Biol. Lab. Sci. Soc. China Zool. Ser. 8(2):9-95. illus.
- CHEN, Bihui. (ed). 1991. The amphibian and reptilian fauna of Anhui. Anhui, China, 407 pp. 151 illus. (In Chinese: English abstract).
- CHEN, S.-F., CHENG, V. & ALEXANDER, P.S. 1987. The annual cycle of epidymal secretory granule production in the lizard Takydromus stejnegeri. Biol. Bull. Dept. Biol. Coll. Sci. Tungahsi univ. No. 67: 1-14.
- CHENG, H.-Y. 1987a. The status of a Lacertid lizard Takydromus stejnegeri Van Denburgh in Taiwan. J. Taiwan Mus. 40(2):13-17.
- CHENG, H.-Y. 1987b. A review on annual reproductive and energetic patterns of five

- taxa of lizards in Taiwan for ten years. Proc. Natl. Sci. Counc. Repub. China Part B Life Sci. 11(3):313-321. illus.
- CHENG, H.-Y. & LIN, J.-I. 1978. Comparative reproductive biology of the lizards, Japalura swinhonis formosensis, Takydromus septentrionalis and Hemidactylus frenatus in Taiwan. 2. Fat body and liver cycles of the male. Bull. Inst. Zool. Acad. Sinica 17(1):1978:67-74, illus.
- CHENG, H.-Y. & LIN, J.Y. 1987. Annual ovarian, fat body and liver cycles of the grass lizard Takydromus stejnegeri in Taiwan. Zool. Sci. (Tokyo) 4(3):557-561. illus.
- COCHRAN, D.M. 1930. The herpetological collections made by Dr. Hugh M. Smith in Siam from 1923 to 1929. Proc. U.S. Nat. Mus. 77(11):1-39, 5 figs.
- COCHRAN, D. M. 1961. Type specimens of reptiles and amphibians in the United States National Museum. Bull. U.S. Nat. Mus. 220: 1-289.
- COPE, Edward Drinker. 1900 (1898). The Crocodilians, Lizards and Snakes of North America. Rep. U.S. Natl. Mus. 1898:153-1270.
- CRIPPEN, R.G. 1962. Holotype specimens of amphibians and reptiles in the Museum of Vertebrate Zoology, University of California, Berkeley. Herpetologica 18:187-194.
- CUVIER, G. 1829. Le Regne Animal Distribue d'Aspres son Organisation. (2nd ed) vol. 2. Guerin. Icon. Regne Anim. Rept. 1829: pl. v, fig. 3.
- DAREVSKY, I.S. 1990. Notes on the reptiles (Squamata) of some offshore islands along the coast of Vietnam. pp. 125-129. 1 fig. In: Peters, G. & Hutterer (ed.) Vertebrates in the tropics. Mus. Alexander Koenig, Bonn.
- DAUDIN, F.M. 1803. Histoire Naturelle, Generale et Particuliere des Reptiles; Ouvrage Faisant Suite a l'Histoire Naturelle Generale et Particuliere, Composee par Leclerc de Buffon, et redigee par C.S. Sonnini, membre de plusiers societ savantes. Tome III, 452 pp.
- DENG, Q., YU, Zhi-wei, & HU, Jing-zhu. 1983. A herpetological survey of some cities and counties in Sichuan. Acta Herpetologica Sinica 2(3):68-69.
- DENG, Q., & JIANG, M. 1992. An investigation on Herpetological fauna of herpetological fauna of Qingchuan County, Sichuan. pp. 145-149. In: Jiang, Y. (ed.) Collected Papers on Herpetology. Sichuan Publ. House of Sci. & Tech. Chengdu. (In Chinese: English Summary).
- DIXON, J. R. 1956. A collection of amphibians and reptiles from West Central Korea. Herpetologica 12:50-56.
- DOEDERLEIN, L. 1881. Die Liu-Kiu Insel Amami Oshima. II. Mittel. deutschen Gesell. Natur-und Volkerkunde Ost-Asiens, Tokyo III (24): 1880-1884: 140-156.
- DOI, H. 1920. Takydromus kwangakuensis sp. nov. Korea. Chosen Iho, 1920:70-75, illus. (In Korean).
- DOI, H. 1929. A new species of Takydromus from Corea, Takydromus auroralis, sp. nov. Jour. Chosen Nat. Hist. Soc. 9: 17-19. illus. (In Korean).
- DOI, R., OYA, A., & TELFORD, S.R., Jr. 1968. A preliminary report on infection of the lizard, Takydromus tachydromoides, with Japanese Encephalitis Virus. Japanese J. Med. Sci. & Biol. 21(3):205-207.

- DOI, R., OYA, A., SHIRASAKA, A., YABE, S. & SASA, M. 1983. Studies on Japanese Encephalitis virus infection of reptiles 2. Role of lizards on hibernation of Japanese Encephalitis virus. Japanese J. exp. Med. 53(2):125-134. illus.
- DUMERIL, A.M.C., BIBRON, G. & DUMERIL, A. 1839. Erpetologie generale ou Histoire Naturelle complete des Reptiles. Librairie Encyclopedique de Roret, Paris V: i-viii + 854 pp.
- DUMERIL, C. & DUMERIL, A. 1851. Catalogue Methodique de la collection des reptiles. Mus. d'Histoire Nat. de Paris (Deux Livraisons): i-iv + 1224 pp.
- FISCHER, J.G. 1885. Ichthyologische und Herpetologische Bemerkungen. Jahrb. wiss Anst. Hamburg 2:49-121.
- FITCH, H.S. 1970. Reproductive cycles of lizards and snakes. Univ. Kansas Mus. Nat. Hist. Misc. Publ. 52: 247 pp.
- FRITZE, A. 1894. Die fauna der Liu-Kiu Insel Okinawa (Japan). Zool. Jahrbucher, Jena 7:852-926.
- FUJIMOTO, K., YAMAGUTI, N. & TAKASHASHI, M. 1986. Ecological studies on Ixodid ticks. 1. Ixodid ticks on vegetations and wild animals at the low mountain zone lying south-western part of Saitama Prefecture. Jpn. J. sanit. Zool. 37(4):325-331. illus. (In Japanese: English Summary).
- FUJIMOTO, K., YAMAGUTI, N. & TAKAHASKHI, M. 1987. Ecological studies on Ixodid ticks. 2. Comparison of the seasonal occurrence of three Ixodid ticks, Haemaphysalis flava, Ixodes ovatus and I. nipponensis in the South-western part of Saitama Prefecture. Jpn. J. sanit. Zool. 38(1):7-12. illus (In Japanese: English Summary).
- FUJIMOTO, K. & YAMAGUTI, N. 1987. Ecological studies on Ixodid ticks, 3. The distribution of Ixodid ticks within a low mountain zone in the south-western part of Saitama Prefecture. Jpn. J. Sanit. Zool. 38(1):13-18. illus. (In Japanese: English Summary).
- FUJITA, H. & TAKADA, N. 1978. Studies on Ixodid fauna in the northern part of Honshu, Japan. 3. Preliminary notes on Ixodes nipponensis (Ixodoidea: Ixodidae) found on the small reptile, Takydromus tachydromoides. Japanese J. sanit. Zool. 29(3): 1978:269-271.
- FUKADA, H. 1958. Biological studies on the snakes. IV. Seasonal prevalence in the fields. Bull. Kyoto Gakugei Univ. Sr. B No. 13:22-35.
- FUKADA, H. 1965. Breeding habits of some Japanese reptiles (Critical Review). Bull. Kyoto Gakugei Univ. Ser. B No. 27:65-82.
- FUKADA, H. 1979. Reptiles of Shiga Prefecture. In: Land and Life in Shiga. Foundation Nature Conservation in Shiga Pref. Shiga, 567-589, illus. (In Japanese: English Summary).
- FUKADA, H. & ISHIHARA, S. 1967. Autotomy in the lizard, Takydromus tachydromoides (Schlegel). Bull. Kyoto Univ. Educ. Ser. B No. 31:27-32. illus.

- GANS, C. 1949. A bibliography of the herpetology of Japan. Bull. Amer. Mus. Nat. Hist. 93(6):393-496.
- GLASS, B. P. 1946. A collection of reptiles from Hunan and Anhwei Provinces, China. Copeia 1946:(4):250.
- GOIN, C.J. & GOIN, O.B. 1962. Introduction to Herpetology. W.H. Freeman & Co. 1st ed. 341 pp.
- GOIN, C.J. & GOIN, O.B. 1971. Introduction to Herpetology. W.H. Freeman & Co. 2nd ed. 353 pp.
- GOIN, C.J., GOIN, O.B. & ZUG, G.R. 1978. Introduction to Herpetology . W.H. Freeman Co. 3rd ed. 378 pp.
- GORIS, R.C. 1965. A herpetological survey of Tsushima Island. Acta Herpetologica Japonica 2(2):9-14.
- GORIS, R.C. 1966. The reptiles of Japan. Kogaku-Kan Japan, 127 pp. (In Japanese).
- GRAY, J.E. 1825. A synopsis of the genera of reptiles and amphibia with a description of some new species. Ann. Philos. Ser. 2, 10:193-217. Reprinted 1966 Ohio Herp. Soc.
- GRAY, J.E. 1838. Catalogue of the slender-tongued saurians, with descriptions of many new genera and species. Annals Mag. Nat. Hist. 1:388-394.
- GRAY, J.E. 1845. Catalogue of the specimens of lizards in the collection of the British Museum. Lond. : i-xxviii + 289 pp.
- GUIBE, Jean. 1954. Catalogue des types de lezards. Colas 119 pp.
- GUNTHER, A. 1864. The reptiles of British India. Ray Soc. (Lond.) 444 pp. 26 pls.
- GUNTHER, A. 1888. On a collection of reptiles from China. Ann. Nat. Hist. (6) 1:165-172.
- GUNTHER, A. 1896. Report on the collections of reptiles, batrachians and fishes made by Messrs. Potanin and Berezowski in the Chinese provinces Kansu and Szechuan. Ann. Mus. Zool. Acad. Sci. St. Petersbourg I:199-219.
- HALLOWELL, E. 1860. Report upon the reptilia of the North Pacific Exploring Expedition under Command of Captain John Rogers, USN. Proc. Phila. Acad. Sci. 12:480-510.
- HAHN, D. E. 1960. Collecting notes on Central Korean reptiles and amphibians. Jour. Ohio Herpetol. Soc. 2:16-24.
- HALLIDAY, T. & ADLER, K. (eds.). 1986. Th encyclopedia of reptiles and amphibians. Facts on File Inc. 143 pp. + x-xvi.
- HATTA, K. 1941. Seasonal variations and changes after gonadectomy in the anterior hypophysis of the lizard, Takydromus tachydromoides. Annot. Zool. Japan 20(3):131-140, pl. 11.
- HATTA, K. 1944. Golgi bodies in lizard, Tachydromus tachydromoides. Zool. Mag. (Tokyo) 56:57-61.
- HATTA, S. 1910. The position of Hokkaido with regard to the distribution of animals. Zool. Mag. 22:85-89.
- HATTA, S. 1913. Zur Tiergeographie von Hokkaido. Zool. Anzeiger (Leipzig) 43(1):127-136.
- HATTA, S. 1921. Has Blakiston's line geologic significance? Chigaku Zasshi Jour. Geogr.

- Soc. Japan (Tokyo) 33(396):649-660.
- HATTA, S. 1928. Some points of the zoogeography of Japan. Proc. 3rd Pan-Pacific Ser. Cong. (Tokyo 1926) vol. 1:1024-1038.
- HAUPT, J. 1978. Aus der Tierwelt der Ryu-Kyu Inseln. Sitz. Ges. naturf. Freude Berl (N.F.) 18:20-22.
- HAUSCHILD, A. 1986. Bemerkungen zur Haltung und Zucht der Langschwanzeidechse Takydromus sexlineatus ocellatus Cuvier, 1829. Herpetofauna, Weinstadt 8 No. 44: 11-15, illus. (In German: English Summary).
- HILGENDORF, F. 1880. Bemerkungen über die von ihm in Japan Gesammelten Amphibien nebst Beschreibung zweier neuer Schlangenarten. Sitz. der Gesell. naturforsch. Freudne zu Berlin 8: 111-121.
- HIROSE, K. 1929. The species of Takydromus on Kotosho Island. Amoeba, Bull. Amateur biol. Club. Japan (In Japanese). 1: 38-39.
- HIROSE, K. 1931. Amphibia and reptiles found in Tomioka. Kanazawa-Machi Kanagawa-Ken. Amoeba, Amateur biol. Club Japan (In Japanese) 3(1-2):80-81.
- HOKIKAWA, Y. 1927. Animals collected on the island of Kotosho by Mr. Sasaki. Trans. Nat. Hist. Soc. Formosa (Japanese). 17(91):295-296.
- HOKIKAWA, Y. 1930. Reptiles and amphibians in the island of Pescadore (Hoko-to). Trans. Nat. Hist. Soc. Formosa 20(106):19-23. (In Japanese).
- HU, Shu-chin, DJAO, Er-mie & LIU, Cheng-chao. 1966. A herpetological survey of the Tsinling and Ta-Pa Shan region. Acta Zoologica Sinica 18(1):57-92. 3 pls.
- HU, Shu-chin, DJAO, Er-mie & LIU, Cheng-chao. 1973. A survey of amphibians and reptiles in Kwichow Province, including a herpetofaunal analysis. Acta zool. sin. 19(2):149-181, 2 figs. (In Chinese: English Summary).
- HUANG, Meihua. (ed). 1990. Fauna of Zhejiang. Amphibia-Reptilia. Zhejiang, China, 306 pp. 288 illus. 4 pls. (In Chinese).
- INUKAI, T. 1930. Notes on the breeding habits of Tachydromus tachydromoides Schlegel. Jour. Fac. Sci. Hokkaido Imp. Univ. Ser. 6, 1:33-40.
- INUKAI, T. 1934. Cell division in the egg of Tachydromus. Japanese Dobutugaku Zasshi, Zool. Mag., Tokyo 46:87. (In Japanese).
- ISHAHARA, S. 1964. Egg laying of Takydromus tachydromoides. Acta Herp. Jap. 2(1):6. [Abstract]. In Japanese.
- ISHAHARA, S. 1964. Observations on egg-laying and hatching of the lizard, Takydromus tachydromoides (Schlegel). Bull. Kyoto Gakugei Univ., B 15:79-85. (In Japanese: English Summary).
- ISHAHARA, S. 1965. Seasonal prevalences of a lizard, Takydromus tachydromoides Schegel. Acta Herpetologica Japonica 1(3):52. [Abstract].
- ISHAHARA, S. 1969. Homing behaviour of the lizard, Tachydromus tachydromoides (Schlegel). Bull. Kyoto Univ. Educ. Ser. B Math Natur. Sci. 36:11-23.
- ISHAHARA, S. 1971. On the average span of life on the lizard, Takydromus tachydromoides (Schlegel). Bull. Kyoto Univ. Educ. Ser. B, No. 39:7-12.
- ISHAHARA, S. 1971. Estimate of population size in the lizard, Takydromus

- tachydromoides Japanese J. Herpet. 5(2):28. (In Japanese) [Abstract].
- ISHAHARA, S. 1973. Estimate of population size on the lizard, Takydromus tachydromoides (Schlegel). Bull. Kyoto Univ. Educ. Ser. No. 43:47-54.
- ISHAHARA, S. 1973. Running and swimming speeds of the lizard, Takydromus tachydromoides. Japanese J. Herpet. 5(2):28. (In Japanese).
- ISHIHARA, S. 1973. Longevity of the lizard, Takydromus tachydromoides (Schlegel). Acta herpetol. Jap. 4(1-4):19. (In Japanese) [Abstract].
- ISHIHARA, S. 1973. Amount of food-intake and digestive speed by the lizard, Takydromus tachydromoides. Acta herpet. Jap. 4(1-4):28. (In Japanese).
- ISHAHARA, S. 1975. On the assimilation of the food nitrogen in the lizard, Takydromus tachydromoides. Japanese Jour. Herpet. 6(1):1-5.
- ISHII, A., TAKAOKA, M., KANO, R. & SUZUKI, H. 1976. Experimental oral inoculation of Entamoeba invadens in some amphibians and reptiles. Snake 8(1):64-68. (In Japanese: English Summary).
- ISONO, H., SHOUMURA, S., ISHIZAKI, N., HAYASHI, K. & YAMAHIRA, T. 1979. Ultrastructure of the parathyroid gland of the Japanese lizard in the spring and summer season. Jour. Morph. 161(2):145-156.
- IWAHASHI, S. 1951. Distribution of acid and alkaline phosphatases in the kidney and epididymis of the intact and castrated lizard (Takydromus tachydromoides). Zool. Mag. (Tokyo) 61:265-268. (In Japanese: English Summary).
- IWAMATSU, T. 1983. Evidence for the presence of a low molecular weight factor in sera from various animals that induces in vitro maturation of fish oocytes. Development Growth Diffn. 25(2):211-216. illus.
- IWASAKI, S. & MIYATA, K. 1985. Scanning electron microscopy of the lingual dorsal surface of the Japanese lizard, Takydromus tachydromoides. Okajimas Folia anat. jap. 62(1):15-26. illus.

- JACKSON, D.R. & TELFORD, S.R., Jr. 1975. Food habits and predatory role of the Japanese lacertid Takydromus tachydromoides. Copeia 1975(2):343-351. 2 figs.
- JERDON, T.C. 1870. Notes on Indian herpetology. Proc. Asiatic Soc. Bengal 1870:66-85.
- JI, D.-M., et al. (eds). 1987. Fauna Liaoningica, Amphibia Reptilia. Liaoning Science & Technology Press, Shenyang, China 171 pp.
- JIANG, P., SUN, X., ZHAN, P. & QIN, Z. 1984. Two new species of postorchigenes parasitic in reptilia. Acta herpetol. sin. 3(1):67-70. illus. (In Chinese: English Summary).
- JIANG, Yao-ming & HU, Qi-xiong. 1979. On collections of reptiles from Youyang, Xiushan and Gulin, Sichuan, China. Acta herpetologica Sinica 2(2):1-7. (In Chinese: English Summary).
- JIANG, Yao-ming & ZHAO, E. 1992. Reptile fauna of Sichuan. pp. 118-121. In: Collected Papers on Herpetology. Jiang, Yao-ming (ed). Sichuan Publ. House of Sci. & Tech. Chengdu. (In Chinese: English Summary).
- JIANG, Yao-ming 1992. A preliminary study reptiles from the Hengduanshan Mountains

- in the Southwest of China. pp. 122-125. In: Jiang, Yao-ming (ed). Collected Papers on Hepetology. Sichuan Publ. House of Sci. & Tech. Chengdu. (In Chinese: English Summary).
- JOHKI, Y. 1980. 'Warning coloration' in larvae of a diurnal moth, Pryeria sinica Moore (Lepidoptera: Zygaenidae). International Congr. Ent. 16:237.
- JOHKI, Y. & HIDAKA, T. 1982. Predatory behavior and learning in the Lacertid lizard, Takydromus tachydromoides, toward unpalatable prey insects. Zool. Mag. Tokyo 91(3):239-244, illus.
- JOHNSON, C.R. 1969. Herpetofauna of Okinawa, Ryu Kyu Islands. Herpetologica 25(3): 206-210.
- KABURAKI, T. 1926. On the fauna of Japan. In Scientific Japan, Past and Present, Kyoto 5: 105-135.
- KANG, Yeong-seon & YOON, Il-byeong. 1975. Illustrated Encyclopedia of Fauna and Flora of Korea. Vol. 17. Amphibia. Reptilia. Samhwa Publ. Co., Ministry of Educ. 192 pp. illus. (In Korean).
- KANO, T. 1940. Zoogeographical studies of the Tsugitaka Mountains of Formosa. Shibusawa Inst. for Ethnographical Res. Tokyo 1-145.
- KARSON, S., LAU, M.W. & BOGADEK, A. 1986. Hong Kong amphibians and reptiles. Urban Council Publ. Hong Kong 136 pp. illus.
- KEHL, R. & COMBESCOT, C. 1955. Reproduction in the Reptilia. Mem. Soc. Endocrinology 4:57-74.
- KITAMURA, S. 1969. Tissue culture of lizard organs. Kobe J. med. Sci. 15:131-135.
- KOBA, K. 1955. Herpetological fauna of Japan. Bull. Biogeog. Soc. Japan 16-19: 345-354. (In Japanese: English Summary).
- KOBA, K. 1956. Herpetofauna of the Amami Group of the Loo Choo Islands, I. Mem. Fac. Educ. Kumamoto Univ. 4: 148-164, illus. (In Japanese: English Summary).
- KOBA, K. 1957. Reptilia and amphibia of Okinawa-Jima of the Loo Choo Islands. Mem. Fac. Educ. Kumamoto Univ. 5:191-208. (In Japanese: English Summary).
- KOBA, K. 1958. Herpetofauna of the Amami Grop of the Loo Choo Islands. II. Mem. Fac. Educ. Kumamoto Univ. 6:173-185. illus. (In Japanese: English Summary).
- KOBA, K. 1959. Herpetofauna of the Amami Group. III. Mem. Fac. Educ., Kumamoto Univ. 7:187-202. illus. (In Japanese: English Summary).
- KOBA, K. 1960. Herpetofauna of the Amami Group of the Loo Choo Islands (IV). Mem. Fac. Educ. Kumamoto Univ. 8:181-191. illus. (In Japanese: English Summary).
- KOPSTEIN, F. 1930. Herpetologische Notizen II. Oologische Beobachtungen an West-Javenischen Reptiles. Treubia Buitenzor 11:301-307. illus.
- KOPSTEIN, F. 1938. Ein Beitrag zur Eierkunde und zur Fortpflanzung der Malaiischen Reptilien. Bull. Raffles Mus. 14:81-167.
- KOROTKOV, Yu M. 1974. Materials on the ecology of Tachydromus amurensis. Inst. Biol. & Pedology Far'East Sci. Centr. Acad. Sci. USSR Proc. 17(120):1-205, illus.
- KUHNE, V., HATTA, S. & HASHIMOTO, J. 1910. Amphibia and Reptilia in Hokkaido. Zool.

- Mag. Tokyo 22(266):558-563.
- KUPRIANOVA, L.A. 1990. Cytogenetic studies in Lacertid lizards. pp. 241-245. In: Olmo, E. (ed) Cytogenetics of amphibians and reptiles. Adv. Life Sci., Birkhauser Verlag, Basel.
- KURODA, N. 1931. Watase line from the standpoint of the distribution of vertebrate animals. Zool. Mag. (Tokyo) 43(508-10):172-175. (In Japanese).
- LI, Dejun. 1989. A survey of reptiles in Leigongshan area. 269-275. In: Current Herpetology in East Asia. Matsui, M., Hikida, T. & Goris, R.C. (eds). Herp. Soc. Japan (Kyoto).
- LIANG, Y.S. & WANG, C.S. 1976. The lizards found from Taipei Hsien, Taiwan. Quart. Jour. Taiwan Mus. 28:431-482. 20 figs.
- LIN, J.-Y. & CHENG, H.-Y. 1980. Notes on the corrected identification and description of a ground lizard, Platyplacopus kuehnei with a revised-key of the family Lacertidae from Taiwan. Bull. Inst. Zool. Acad. Sinica 19(2):63-65. illus.
- LIN, J.-Y. & CHENG, H.-Y. 1981. A new species of Takydromus (Sauria: Lacertidae) from Taiwan. Bull. Inst. Zool. Acad. Sinica 20(1):43-47.
- LIN, J.Y. & LEE, Kuang Y. 1988. Notes on the behavior of Takydromus formosanus, Eumeces elegans and Sphenomorphus indicus in Ha-Pen area of Northern Taiwan. Biol. Bull. Natl. Taiwan Norm Univ. No. 23: 203-219.
- LIN, J.-Y. & CHENG, H.-Y. 1990. A synopsis of the lizards of Taiwan. Taiwan Mus. 176 pp. illus.
- LIU, Cheng-Chao. 1935. Preliminary notes on the life history of Takydromus septentrionalis. Peking Nat. Hist. Bull. 10(1):133-235.
- LIU, Cheng-Chao. 1939a. Notes on variation of chin-shields in Takydromus septentrionalis. Peking Nat. Hist. Bull. 14(1):31-34.
- LIU, Cheng-Chao. 1939b. Notes on the life history and breeding habits of Takydromus septentrionalis. Peking Nat. Hist. Bull. 14(1):35-42.
- LOVERIDGE, A. 1945. Reptiles of the Pacific World. Macmillan Co., NY v-xii, 259 pp.
- LUE, Kuang-Yang. 1987. Taiwan lizards. Taiwan Provincial Dept. Educ. Taiwan. 68-81.
- LUE, Kuang-Yang, CHEN, Szu-Lung & YEH, Kant K.C. 1988. The lizard fauna of Taiwan. Chinese Bioscience 31(1):45-55.
- LUE, Kuang-Yang, CHEN, Szu-Lung & CHANG, Wei-Sah. 1992. Notes on the reptiles collected from the offshore Islets of Penghu Archipelago. Jour. Taiwan Mus. 45(1):15-18.
- MARTENS, Eduard von. 1876. Japanische Reptilien. Verzeichniss der gesammelten oder beobachteten Wirbelthiere. Die Preussische Expedition nach Ost-Asien. Zoologischer Theil I: i-xii + 412 pp.
- MATSCHIE, P. 1893. Ueber einige von Herrn Oscar Neumann bei Aden gesammelte u. beobachtete saugethiere, reptilien, und amphibien. S.B. nat. Fr. 1893:27-31.
- MATTISON, Chris. 1989. Lizards of the World. Facts on File, NY. 192 pp. illus.

- MATTISON, Chris. 1991. Keeping and Breeding lizards. Blandford, Lond. 224 pp. 100 pls.
- MELL, R. 1922. Beitrage zur Fauna Sinica. I. Die Vertebraten Sudchinas: Feldisten und Feldnoten der Sauger, Vogel, Reptilien, Batrachier. Arch. naturg. Berlin 88 abt A. Heft 10: 100-134.
- MERTENS, R. 1929. Uber einige neu Oder seitez Eingefuhrte Amphibien und Reptilien aus Sudost. Aquar. u Terr. 40(23):410-415.
- MERTENS, R. 1960. The World of amphibians and reptiles. George G. Harrap & Co. Ltd. Lond. 207 pp. 80 pls.
- MINOBE, H. 1927. Notes on the food habits of Takydromus tachydromoides (Schlegel). Proc. Imp. Acad. Jap., Tokyo III-8(151):547-549.
- MIYAWAKI, San'ichi. 1927. Uber due Foramina Acustica Media an der Ohrkapsel von Reptilien. Folia Anatomica Japonica 6:491-513.
- MORI, A. 1990. Tail vibration of the Japanese grass lizard Takydromus tachydromoides as a tactic against a snake predator. Jour. Ethol. 8(2):81-88. illus.
- MORI, A. 1991. Spontaneous immobility of the Japanese Lacertid lizard, Takydromus tachydromoides. Japanese Jour. Herpetol. 14(1):1-5. illus.
- MORI, M. 1989. The distribution of melanosomes in the skin of reptiles. pp. 22-24. In: Current Herpetology in East Asia. Matsui, M., Hikida, T. & Goris, (eds.). Herp. Soc. Japan (Kyoto).
- MORI, T. 1928. On amphibians and reptiles of Quelpaert Island. Japanese chosen hakubutsugakkaisho, Jour. Chosen Nat. Hist. Soc. Keijo, Korea 6(2):47-52.
- MORI, T. 1929. Reptilian fauna of Tsushima Island. Japanese Bull. Biogeog. Soc. Japan 1(1):1-4.
- MUELLER, F. 1878. Katalog der im Museum und Universitatskabinet zu Basel Aufgestellten Amphibien und Reptilien nebst Anmerkungen. Verhand. der naturforsch. Gesell. Basel 6:557-709.
- MUELLER, F. 1887. Funfter Nachtrag zum Katalog der Herpetologischen Sammlung des Basler Museum. Verhand. der naturforsch. Gesell. Basel 8(2):249-296.
- MULLER, L. & HELLMICH, W. 1940. Uber die von Herrn Klapperich in der Provinz Fukien (China) gesammelten Amphibien und Reptilien. II. Reptilien. Zool. Anz., Leipzig 131(11/12): 257-271.
- NAGAHAMA, S. 1973. Histological study on the egg tooth of the Tachydromus tachydromoides. Acta Herpet. Jap. 4(1-4):26. (In Japanese).
- NAKAMURA, K. 1928. Preliminary notes on reptilian chromosomes II. The chromosomes of a lizard, Tachydromus tachydromoides. Proc. Imperial Acad. Japan 4(8):491-492.
- NAKAMURA, K. 1931. Preliminary notes on reptilian chromosomes. III. The chromosomes of some lizards. Proc. Imperial Acad. Japan 7(8):26-28.
- NAKAMURA, K. 1935. Studies on reptilian chromosomes. IV. Chromosomes of Takydromus ssp. (lizards). Memoires College of Sci. Kyoto Imperial Univ. Ser. B 10(5): 341-353.
- NAKAMURA, K. & UENO, S. 1969. Japanese reptiles and amphibians in Colour. Hoikusha

- Publ. Co., Osaka, Japan iii-ix + 214pp. illus. (In Japanese).
- NAKAO, Y. 1939. Recherches sur les greffes chorioallantoidiennes des tissus embryonnaires du lezard. Zool. Mag. 51(10):683-697. Japanese-French.
- NAMIYE, M. 1904. Reptiles of Yamanashi Prefecture. Zool. Mag. Tokyo 16(193):423.
- NEILL, W.T. 1958. The occurrence of amphibians and reptiles in saltwater areas, and a bibliography. Bull. Mar. Sci. Gulf & Caribbean 8(1):1-97.
- NIIMI, Toshi. 1965. Two specimens of double-tailed lizards. Acta Herpetologica Japonica 1(3):93-40.
- NIIMI, Toshi. 1969. Note on the monstered tail of two species of Lacertilia. Acta Herpet. Jap. 3:14-16, illus.
- NIKOLSKI, A.M. 1905. Presmikayustchiyasya i zemnovodniya Rossiiskoi Imperii (Herpetologica Rossica). Zap. Imp. Akad. Nauk S. Peterburg (8) 17, no. 1: 518 pp.
- NIKOLSKI, A.M. 1914. Reptilia nou veaux pour la fauna Russe, provenant de las partie merdionale de la region litorale (Primorskaya Oblastj). Ann du Musee zool. de l'Acad. Imp. des Sci. de Petrograd. Tonie xix, 1914:88-91. 1915. Faune
- NIKOLSKI, A.M. 1915. Faune de la Russie, reptiles. I. Chelonia et sauria. Petrograd, 532 pp.
- NISHIMURA, K. 1987. Phytospingosine is a characteristic component of the glycolipids in the vertebrate intestine. Comp. Biochem. Physiol. (B) 86(1):149-154.
- NOMURA, H. 1936. The distribution of the taste buds on the tongue of some reptilia. Jour. Sci. Hiroshima Univ. Ser. B., Biol. Zool. 5(4):57-66.
- ODATE, S., TATEBE, Y., OBIKA, M. & HAMA, T. 1959. Pteridine derivatives in reptilian skin. Proc. Japanese Acad. Sci. 35:567-570. illus.
- ODIERNA, G., OLMO, E. & COBROR, O. 1985. C-band variability in some Lacertidae (Sauria: Reptilia). Experientia 41(7):944-946. illus.
- ODIERNA, G., OLMO, E. & O. COBROR. 1987. Taxonomic implications of NOR-localization in lacertid lizards. Amphibia-Reptilia 8:373-382.
- OGUMA, Kan & MAKINO, S. 1931. Check-list of chromosome numbers in vertebrates. Zool. Mag. Tokyo 43:508-510.
- OGUMA, Kan & MAKINO, S. 1932. A revised check-list of the chromosome numbers in vertebrata. J. Genetics, Lond. & Edinburgh 26(2):239-254.
- OGUMA, Kan & MAKINO, S. 1937. A new list of the chromosome numbers in vertebrates. (March 1937). Jour. Fac. Agri., Hokkaido Univ. Imperial Univ. Sapporo 4:297-356.
- OGURO, C. 1969. Notes on the parathyroid glands of some Japanese Lacertilia. Annot. zool. Jap. 42:203-209, illus.
- OHNO, M. 1968. The reptiles from the Islands of [sic] Niijima, Shikinejima and Kozushima belonging to the Izu Islands, Japan. Acta Herpet. Jap. 3:5-7, illus. (In Japanese: English Summary).
- OKA, T. 1971. Morphogenesis of the visceral pouches in the lizard, Takydromus tachydromoides Schegel. Bull. Tokyo Gakugei Univ. (ser. 4, Math. nat. Sci.) 23:118-128, illus.
- OKA, T. 1972. Fine structural studies on the spermiogenesis in the lizard, Takydromus

- tachydromoides Schlegel, with particular reference to the formation of middle piece and principal piece. Bull. Tokyo Gakugei Univ. (ser. 4, Math. nat. Sci.) 24:226-235, illus.
- OKA, T. & FUJIWARA, M. 1973. Electron microscopic studies on the spermatogenesis in the lizard, Takydromus tachydromoides Schlegel (2). Acta herpet. Jap. 4(1-4):21. (In Japanese).
- OKA, T. 1976. The fine structure of the testicular interstitial cells in the lizard, Takydromus tachydromoides. Zool. Mag. (Tokyo) 85(3):214-222. (In Japanese: English Summary).
- OKA, T. 1978. Ultrastructural studies on the interrenal in the lizard embryo Takydromus tachydromoides. Japanese J. Herpet. 7(4):1978:97. (In Japanese) [Abstract].
- OKA, T. 1981. Developmental processes in the lizard, Takydromus tachydromoides. 2. Effects of incubation temperatures on a series of developmental stages. Japanese J. Herpet. 9(2):67. (In Japanese).
- OKA, T. 1982. Morphogenesis of the genital tubercles in the Lacertid lizard embryo (Takydromus tachydromoides). Japanese J. Herpet. 9(4):119. (In Japanese) [Abstract].
- OKA, T. 1983. Differentiation of the embryonic scales in the lizard Takydromus tachydromoides. Japanese J. Herpet. 10(2):51-52. (In Japanese) [Abstract].
- OKA, T. 1989. Ultrastructural observations on the embryonic gonads in the lizard, Takydromus tachydromoides. p. 25. In: Current Herpetology in East Asia Matsui, M., Hikida, T. & Goris, R.C.(eds.).
- OKADA, Y. 1929. Takydromus on Kotosho. Bull. Amateur Biol. Club, Japan Amoeba 1(2):38-39. (In Japanese)
- OKADA, Y. 1931. Reptilia. Japanese Iwanami-koza Biology 1-61. (In Japanese).
- OKADA, Y. 1932. Notes on the amphibia and reptilia of Kotosho (Botel Tobago). Bull. Biogeog. Soc. Japan, Tokyo 3(1):13-23.
- OKADA, Y. 1933a. Notes on the reptilia and amphibia of Kotosho. Bull. Biogeograph. Soc. Japan 3(1):13-23.
- OKADA, Y. 1933b. The herpetological fauna in the vicinity of Nikko, Japan. Sci. Reports Tokyo Bunrika Daigaku Ser. B, No. 15:159-173, illus.
- OKADA, Y. 1933c. On the parallelism between the distribution of lizards and of anurans in the Japanese Empire. Sci. Report Tokyo Bunrika Daigaku, Sect. B 1(13): 145-154.
- OKADA, Y. 1937. Reptiles and amphibians of Yamagata Prefecture. Res. Sonai Museum Publ. on Natural History (Japanese-English). 1-21.
- OKADA, Y. 1938a. Reptiles of the Tohoku-Districts, the northern part of Honsyu, Japan. Saito Ho-on-kai Mus., Saito Gratitude Foundation, Res. Bull. Sendai 15:67-84.
- OKADA, Y. 1938b. A catalogue of vertebrates of Japan. Japanese & English Maruzen Co., Tokyo i-iv + 412 pp.
- OKADA, Y. 1940. A revision of the parallelism between the distribution of lizards and that of frogs in the Japanese Empire. Proc. 6th Pacific Sci. Congress, Berkeley, Calif. 4:219-229.

- OKADA, Y. 1945. Tail-like regeneration of the hind limb in the lizard Takydromus tachydromoides. Annot. Zool. Jap. 23(10):13-22. illus.
- OKADA, Y. 1959. Annotated list of the animals of Okinawa Islands. In City Japan (Okinawa Biol. Educ. & Res. Assoc. pp. (6) 384. [Latin names: annotatations Japanese]. pp. 26-30.
- OLMO, E., COBROR,O., MORESCALCHI, A. & ODIERNA, G. 1984. Homomorphic sex chromosomes in the lacertid lizard Takydromus sexlineatus. Heredity Lond. 53(2):457-459. illus.
- OLMO, E., ODIERNA, G. & COBROR, O. 1985. Variazioni cromosomiche inter-e interspecifiche nei lacertidi. Atti Soc. tosc. Sci. nat. Memorie (Ser. B) 92(1986):311-318.
- OLMO, E., MORESCALCHI, COBROR, O. & ODIERNA, G. 1986. Role of highly repetitive DNA and heterochromatin in the evolution of lizards. In: Rocek, Z. (ed.) Studies in Herpetology 79-84. Proc. European Herpetol. Meeting, Prague 1985, 754 pp.
- OLMO, E., G. ODIERNA, T. CAPRIGLIONE & V. CAPUTO. 1991. A karyological approach to the systematics of Lacertidae (Reptilia: Sauria). Rev. Esp. Herp. 6:81-90. figs. 1-3.
- OOTA, Y. 1971. The hypothalamo-hypophysial neurosecretory system of the lizard, Takydromus tachydromoides. Reports Fac. Sci. Shizuoka Univ. 6:137-147, 10 pls.
- OOTA, Y. 1979. Ultrastructure of the median eminence of the lizard Takydromus tachydromoides. Report Fac. Sci. Shizuoka Univ. 13:51-59. illus.
- OOTA, Y. & SAKURAI, K. 1983. The embryonic development of the hypothalamo-hypophysial system in the lizard, Takydromus tachydromoides. Report Fac. Sci. Shizuoka Univ. 17:65-75, illus.
- OOTA, Y. & SAKURAI, K. 1984. Ultrastructural studies on the embryonic development of the hypothalamo-hypophysial system in the lizard, Takydromus tachydromoides. Report Fac. Sci. Shizuoka Univ. 18:45-59, illus.
- OOTAKE, H., ITO, I. & HAYASHI, K. 1985. Relationships between population density of the tick, H. longicornis, and environmental factors in the parmanent (sic) pasture. I. Ixodid fauna and seasonal fluctuations of the tick H. longicornis, in Kawatabi. J. Jap. Soc. Gras. Sci. 30(4):452-457, illus.
- OTA, H. 1986. A review of reptiles and amphibians of the Amami Group, Ryukyu Archipelago. Mem. Fac. Sci. Kyoto Univ. (Ser. Biol.) 11(1-2):57-71.
- OTA, H. 1991a. Advances in the systematics and biology of the lizards of Taiwan: A critical review. Jour. Taiwan Mus. 44(1):125-133.
- OTA, H. 1991b. Systematics and Biogeography of terrestrial Reptiles of Taiwan. In: Y.-S. Lin & K.-H. Chang (eds). Proc. 1st International Symposium on Wildl. Conserv. 47-112.
- OTA, T. 1973. Fine structural studies on the shell gland in the Japanese lizard, Takydromus tachydromoides. Acta herpet. Jap. 5(2):29. (In Japanese).
- OTA, T. 1973. Electron microscopic study on the spermatogenesis in the Tachydromus tachydromoides. Acta herpet. Jap. 4(1-4):17. (In Japanese).

- PAVLOV, P. 1932. Liste des sauriens et serpentes des collections du musee Hoangho Paiho de Tien Tsin. Publ. Mus. Hoangho Paiho Tien Tsin 12:1-27.
- PETERS, W. 1863. Eine neue Schlangengattung, Styphorhynchus, und verschiedene andere Amphibien des Zoologischen Museums. Monatsb. Akad. Wiss. Berlin 1863: 399-413.
- PETERS, W. 1881. Ueber eine neue art von Tachydromus aus dem Amurlande. Sitz. Ber. Ges. Naturf. Fr. Berlin 1881: 71-72.
- POPE, C.H. 1928. Notes on reptiles from Fukien and other Chinese Provinces. Bull. Amer. Mus. Nat. Hist. 58:335-487.
- POPE, C.H. 1935. The reptiles of China, turtles, crocidilians, snakes, lizards. Natural History of Central Asia. Vol. X: Amer. Mus. Nat. Hist. 604 pp. illus.
- POPE, C.H. 1956. The reptile world. A natural history of the snakes, lizards, turtles and crocodilians. Routledge & Kegan Paul Co., Lond. xxv +325 pp.
- PORTER, K. R. 1972. Herpetology. W.B. Sanders Co. vii-xi + 524 pp.

- ROBINSON, H.C. & KLOSS, C.B. 1920. A nominal list of the species of reptiles and batrachians occurring in Sumatra. In: Boulenger, G.A. Reptiles and batrachians collected in Korinchi, West Sumatra, by Mess. H.C. Robinson & C. Boden Kloss. Jour. Federated Malay States Mus. 8(2):285-306. illus.
- ROMER, A.S. 1956. Osteology of Reptiles. Univ. Chicago Press, vii-xxi 772 pp.
- ROOIJ, N. de. 1915. The reptiles of the Indo-Australian Archipelago. I.E.J. Bril., Ltd. Leiden.

- SAINT-GIRONS, H. & SAINT-GIRONS, M.C. 1956. Cycle d'activite et thermoregulation chez les reptiles (lezaeds et serpentes). Vie et Milieu 7:133-226. illus.
- SCHALL, J. J. 1983. Lizard malaria: parasite host ecology. In: Huey, R.B., E.R. Pianka & T.W. Schonener (eds). Lizard ecology. Harvard Univ. Press, 84-100.
- SCHEGEL, H. 1837-1844. Abbildungen [neuer oder unvollständig bekannter Amphibien nach der Natur Oder dem Leben entworfen herausgegeben und mit erläuternden texten begleitet. Dusseldorf verlag v Arnz & Comp.
- SCHENKEL, E. 1902. Achter nachtrag zum katalog der herpetologischen Sammlung des Basler Museums. Verhandlungen der naturforschenden Gesell. Basel 13(1):144-199.
- SCHMIDT, K.P. 1927. The reptiles of Hainan. Bull. Amer. Mus. Nat. Hist. 54:395-465. illus.
- SCHMIDT, K.P. 1927. Notes on Chinese reptiles. Bull. Amer. Mus. Nat. Hist. 45:467-551. illus.
- SCHMIDT, K.P. & INGER, R.F. 1957. Living reptiles of the World. Hanover House, NY 287 pp. illus.
- SCHWENK, K. 1985. Occurrence, distribution and functional significance of taste buds in lizards. Copeia 1985 (1)91-101. 5 figs.
- SELVIN, J. R. 1925. Contributions to Oriental herpetology II. Korea or Chosen. Proc. Calif.

- Acad. Sci. 4th ser. 14(5):89-100.
- SELVIN, J. R. 1930. Contribution to Oriental herpetology. IV. Hokushu or Yezo. Proc. Calif. Acad. Sci. 4th ser. 19(10):105-108.
- SELVIN, J. R. 1937. Contribution to Oriental herpetology. V. Honshu or Hondo, the neighboring islands of Sado and Awaji, and the seven islands of Idzu. Proc. Calif. Acad. Sci. 4th ser. 23(11):175-190.
- SELVIN, J. R. 1956. Holotype specimens of reptiles and amphibians in the collection of the California Academy of Sciences. Proc. Calif. Acad. Sci. 4th ser. 28(14):529-560.
- SENGOKU, S. 1973. Habitat segregation of glass lizard, Tachydromus tachydromoides and Japanese skink, Eumeces latiscutatus. Acta Herpet. Jap. 4(1-4):29.
- SHANNON, F.A. 1956. The reptiles and amphibians of Korea. Herpetologica 12:22-49.
- SHIBATA, Y. 1960. Amphibia and reptilia collected from Tokara Islands. Bull. Osaka Mus. Nat. Hist. No. 12:57-62. illus.
- SHIBATA, Y. 1966. Preliminary report on Takydromus amurensis Peters from Tsushima (Reptilia: Lacertidae). Bull. Osaka Mus. Nat. Hist. No. 19:13-17.
- SHIBATA, Y. 1970. First record of Dinodon orientalis from the Island of Dog, Oki Group, Japan, with notes on its geographical distribution. Shizenshi-Kenkyu, Occas. Papers Osaka Mus. Nat. Hist. 1(5):35-44. 3 figs.
- SHIBATA, Y. 1981. Amphibians and reptiles on the Koshiki Islands, Kyushu, Japan. Bull. Osaka Mus. nat. Hist. No. 34:17-22. illus. (In Japanese: English Summary).
- SMITH, Malcolm A. 1930. The reptiles and amphibia of the Malay Peninsula. Bull. Raffles Mus. No. 3: i-iii + 149pp.
- SMITH, Malcolm A. 1935. The fauna of British India, including Ceylon and Burma. Vol. Sauria. Taylor & Francis Ltd. Reprinted 1973 Ralph Curtis Books, 440pp. illus.
- SMITH, Rozella B., LEWIS, T., & SMITH, H.M. 1967. Title and selected abstracts of papers presented at the first herpetological conference of the USSR. Herp Review 1(1):3-8.
- SOWERBY, Arthur de Carle. 1922. The Naturalist in Manchuria. Vol. 1. Travel & Exploration. Tientsin Press, 347 pp. illus.
- STANLEY, A.. 1914. The collection of Chinese reptiles in the Shanghai Museum. Jour. N. China Asiat. Soc. 45:21-31.
- STEJNEGER, L. 1904. A new species of lizard from Riu Kiu Archipelago, Japan. Smithsonian Misc. Coll. 47:294-295.
- STEJNEGER, L. 1907. Herpetology of Japan and adjacent territory. Bull. U.S. Nat. Mus. 58: v-xx + 577 pp. illus.
- STEJNEGER, L. 1910. The batrachians and reptiles of Formosa. Proc. U.S. Nat. Mus. 38 (1731):91-114.
- STEJNEGER, L. 1924. Herpetological novelties from China. Occas. Papers Boston Soc. Nat. Hist. 5:119-121.
- STEJNEGER, L. 1925. Chinese amphibians and reptiles in the United States National Museum. Proc. U.S. Nat. Mus. 46(25):1-115. illus.
- STERNFELD, R. 1916. Reptilien und amphibien aus Japan und von den Riu-Kiu. Sitz. Gesell. natur. Freunde zu Berlin 5:164-174.
- STEWARD, G.D. 1954. A small collection of reptiles from Central Korea. Copeia 1954:65-

67.

- STOLICZKA, F. 1872. Notes on various new or little-known Indian lizards. Proc. Asiatic Soc. Bengal xli (2):86-135. illus.
- SUVATTI, C. 1950. Fauna of Thailand, Bangkok (Dept. Fisheries) 1950: ii + 1100 pp.
- SWINHOE, R. 1870. List of reptiles and batrachians collected on the island of Hainan (China), with notes. Proc. Zool. Soc. Lond. 1870:239-241.
- SWINHOE, R. 1870. Note on reptiles and batrachians collected in various parts of China. Proc. Zool. Soc. Lond. 1870:409-413. pl. X.
- SZYNDLAR, Z. 1984. A description of a small collection of amphibians and reptiles from the People's Republic of Korea, with notes on the distribution of the herpetofauna in that country. Acta Zool. Cracov 27(1):3-18.
- SZYNDLAR, Z. 1991. Distributional records for turtles and lizards from North Korea. Herp Review 22(1):27.

- TAIRA, K. & MUTOH, H. 1981. Comparative ultrastructural study of the Ito cells in the liver in some reptiles. Archivum histol. jap. 44(4):373-384. illus.
- TAKEISHI, M. 1987. Notes on growth in the Japanese Lacertid Takydromus tachydromoides (Sauria, Lacertidae). Bull. Kitakyushu Mus. Nat. Hist. No. 6: 265-268. illus.
- TAKEISHI, M. & ONO, Y. 1986. Spatial relationships among individuals of the Japanese Lacertid Takydromus tachydromoides (Sauria: Lacertidae). Ecol. Res. 1(1):37-46. illus.
- TAKENAKA, S. 1978. Ovarian folicle size and sexual maturity of the lizard, Takydromus tachydromoides. Japanese J. Herpet. 7(4):1978:100. (In Japanese) [Abstract].
- TAKENAKA, S. 1979. Reproduction in Japanese Lacertid Takydromus tachydromoides in Northern Japan. Japanese J. Herpet. 8(2):69. (In Japanese).
- TAKENAKA, S. 1980. Growth of the Japanese grass lizard Takydromus tachydromoides in relation to reproduction. Herpetologica 36(4):1980:305-310. illus.
- TAKENAKA, S. 1981. Maturity and other reproductive traits of the Kanahebi lizard, Takydromus tachydromoides (Sauria: Lacertidae) in mito. Japanese Jour. Herpet. 8(2):46-53.
- TAKENAKA, S. 1981. Interspecific variation in reproduction of the lizard, Takydromus tachydromoides, with its interspecific comparison with T. smaragdinus. Doctoral Diss., Univ. Tsukuba.
- TAKENAKA, S. 1982. Variation in the lizard, Takydromus tachydromoides. Japanese J. Herpetol. 9(4):119. (In Japanese) [Abstract].
- TAKENAKA, S. 1989. Reproductive ecology of Japanese Lacertid lizards. 364-369, In: Current Herpetology in East Asia. Matsui, M., Hikida, T. & Goris, R.C. (eds).
- TAKEWAKI, K. & FUKUDA, S. 1935. Vability of epididymal serpmatozoa in unilaterally and bilaterally castrated lizards. J. Fac. Sci. Tokyo Imperial Univ. Sect. IV 1:77-82.
- TAKEWAKI, K. & FUKUDA, S. 1935. Effect of gonadectomy and testicular transplation on the kidney and epididymis of a lizard, Takydromus tachydromoides. J. Fac. Sci. Tokyo Imperial Univ. Sect. IV Zool. 1:63-76.

- TANNER, V.M. 1953. Pacific Island herpetology. No. VIII. Korea. Great Basin Nat. 13:67-73.
- TATSUKA, T. 1920. On the parietal eye of Takydromus tachydromoides. Zool. Mag. (Tokyo) 32(385):346-351.
- TAYLOR, E.H. 1963. The lizards of Thailand. Univ. Kansas Sci. Bull. 44:687-1077.
- TCHANG, T.L. 1931. Notes on some Chinese lizards. Bull. Fan Mem. Inst. Biol. 2(14): 265-280.
- TELFORD, S.R., Jr. 1969. The ovarian cycle, reproductive potential and structure in a population of the Japanese Lacertid Takydromus tachydromoides. Copeia 1969(3):548-567, illus.
- TELFORD, S.R., Jr. 1970. Seasonal fluctuations in liver and fat body weights of the Japanese lacertid Takydromus tachydromoides Schlegel. Copeia 1970(4):681-688. illus.
- TELFORD, S.R., Jr. 1972. The course of infection of Japanese saurian Malaria (Plasmodium sasai Telford & Bell) in natural and experimental hosts. Japanese J. exp. Med. 42(1):1-21, illus.
- TELFORD, S.R., Jr. 1982. New saurian Trypanosomes from southeast Asian skinks and Lacertids. Jour. Parasit. 68(2):319-324. illus.
- TELFORD, S.R., Jr. 1982. Interpopulation variation of a saurian malaria, Plasmodium sasai Telford & Ball, 1969, in three host species distribution within a range of 24 degrees north latitude. J. Parasit. 12(1):17-22. illus.
- TELFORD, S.R., Jr. 1989. Discovery of the pre-erythrocytic stages of a saurian Malaria parasite, Lypozites, and a possible mechanism for the maintenance of chronic infections throughout the life of the host. Int. J. Parasitol. 19(6):597-616. illus.
- TELFORD, S.R., Jr. & BALL, G.H. 1969. Plasmodium sasai n. sp. from the Japanese lizard Takydromus tachydromoides. Jour. Protozool. 16(2):312-317. illus.
- TERENTEV', P.V. & CHERNOV, S.A. 1949. Key to amphibians and reptiles. 3rd ed. Nauka, Moskva (Translated from Russian, Israel Program for Scientific Translations 1965).
- THEOBALD, W. 1876. Descriptive catalogue of the reptiles of British India. Calcutta 238 pp.
- THOMPSON, J.C. 1912. Prodrome of descriptions of new species of reptilia and batrachia from the Far East. Herpetological Notices, San Francisco, Calif. Privately printed 2:1-4.
- TIAN, Wan-shu & JIANG, Y. 1986. Zhongguo liangqi paxing dongwu Jianding shouce. (Handbook of Chinese Amphibians and Reptiles.). Science Pres, Peking 1986: i-iv 164 pp. illus. (In Chinese, with 20 unpaginated plates).
- TOYAMA, M. 1976. On the herpetological fauna of the Miyako Islands, Ryukyu Archipelago. Japanese J. Herpet. 6(3):64-74. illus. (In Japanese: English Summary).
- TOYAMA, M. 1984. Amphibians and reptiles. In: Handbook of the animals of the Ryu Kyu Archipelago (1): Terrestrial vertebrates. Ed. Ikehara, S., Y. Yonashiro, K. Miyagi, & M. Toyama. Shinsei-tosho-shuppan, Naha 208--252. (In Japanese).
- TSUNEKI, K. 1987. A histological survey on the development of circumventricular organs

- in various vertebrates. Zool. Sci. (Tokyo) 4(3):497-521. illus.
- UCHIDA, T. 1980. Ultrastructure and histochemical studies on the taste buds in some reptiles. Archivum histol. jap. 43(5):459-478, illus.
- UENO, Shun-Ichi & Y. SHIBATA. 1970. A brief account of the herpetology of the Islands of Tsushima. Memoirs Nat. Sci. Mus. Tokyo No. 3:193-198 (In Japanese).
- Van DENBURGH, John. 1909. New and previously unrecorded species of reptiles and amphibians from the Island of Formosa. Proc. Calif. Acad. Sci. 4th ser. 3(3):49-56.
- Van DENBURGH, John. 1912a. Concerning certain species of reptiles and amphibians from China, Japan, the Loo Choo Islands and Formosa. Proc. Calif. Acad. Sci. 4th ser. 3: 187-258.
- Van DENBURGH, John. 1912b. Advanced diagnoses of new reptiles and amphibians from the Loo Choo Islands and Formosa. San Francisco, Calif. 1-5.
- VOGT, T. 1913. Zur Reptilien-und Amphibienfauna Koreas und Japans. Sitz. Gesell. natur. Freunde Berlin 219-222.
- VOGT, T. 1914. Sudchinesische Reptilien und Amphibien. Ges. naturf. Freunde Berlin 3: 96-102.
- VOGT, T. 1922. Zur Reptilien- und Amphibienfauna Sudchinas. Arch. Naturg. Berlin 88, abt. A, heft 10: 135-146.
- WALLEY, H.D. 1958a. The status of Takydromus kwangakuensis. Copeia (4):338.
- WALLEY, H.D. 1958b. A new Lacertid lizard from Korea. Herpetologica 14(4):203-205. illus.
- WALLEY, H.D. 1962. The identity of the Korean lizard Takydromus auroralis Doi. Herpetologica 18(3):215-216.
- WANG, Chin-shiang & WANG, Yu-hsi M. 1956. The reptiles of Taiwan. Quart. Jour. Taiwan Mus. 9(1):1-86.
- WANG, P.-C. 1964. Studies on the ecology of four species of lizards in Hangzhou. I. Distribution, daily activity, and feeding. Chinese Jour. Zool. 6(2):70-76. (In Chinese-English Summary).
- WANG, P.-C. 1966. Studies on the ecology of four species of lizards in Hangzhou. II. Breeding. Acta Zool. Scinica 18(2):170-186. (In Chinese -English Summary).
- WANG, Pei-chao P. & XU Hong-fa. 1987. Influence of ambient temperature on body temperature and heat energy metabolism of Takdyromus septentrionalis. Acta Herpetol. Sin .6(2):10-15. illus. (In Chinese: English Summary).
- WANG, Pei-chao, JI, W. & MA, W. 1989. Oxygen consumption of Takydromus septentrionalis eggs and hatchlings. 49-53. In: Matsui, Hikida & Goris (eds). Current Herpetology in East Asia. Proc. Second-Japan-China Herpetological Symposium Kyoto, July 1988.
- WEBB, R.G., JONES, J.K., Jr. & BYERS, G.W. 1962. Some reptiles and amphibians from Korea. Univ. Kansas Publ. Mus. Nat. Hist. 15:149-173.
- WELCH, K.R.G., COOKE, P.S. & WRIGHT, A.S. 1990. Lizards of the Orient: A checklist.

- Robert E. Krieger Publ. Co., Malabar, Florida 162 pp.
- WEN Ye-tang. 1985. Two new records of lizards of Guangxi- Gekko japonicus and Takydromus septentrionalis. Acta Herpetol. Sin. 4(2):128. (In Chinese).
- WERNER, F. 1904. Über Reptilien und Batrachier aus Guatemala und China in der Zoologischen Staats-Sammlung in Munchen. Abh. der königlichen bayerischen Akad. Wissenschaften, Minchen 22(2):341-384.
- WERNER, F. 1913(1912). Über neue und seltene Reptilien und Frosche des Naturhistorischen Museums in Hamburg. Reptilien und Amphibien von Formosa gesammelt von H. Sauter. Mitt. naturhist. Mus. Hamburg 30: 1-51.
- WIEGMANN, A.F.A. 1834. Herpetologica Mexicana, seu descriptio amphibiorum novae Hispaniae, quae Itineribus comitis de Sack, Ferdinandi Deppe et Chr. Guil Schiede. Saurorum species. Berolini. 54 pp. Reprinted Society for Study of Amphibians & Reptiles 1969.
- WON, H.K. 1967. Checklist of Korean Chordata Amphibia, Reptilia. Publ. Korean Acad. Sci. Pyongyang 167-245. (In Korean).
- WON, H.K. 1971. Amphibian and reptilian fauna of Korea. Publ. Korean Acad. Sci. Pyongyang 170 pp. (In Korean).
- WU, Hsien-wen. 1930. Herpetological notes from Hangchow. Sci. Report Nat. Cent. Univ. Nanking 1(1):51-58.

- YAMAO, Y. & HIKONORI, W. 1940. Effect of a synthetic androgen on the kidney of a lizard Takydromus tachydromoides. Zool. Mag. (Tokyo) 52(3):136-137.
- YANG, Datong & INGER, R.F. 1986. Key to the snakes and lizards of China. Smithsonian Herpet. Inf. Serv No. 71:1-21.
- YAO, Chong-yong. 1983. Lizards of Gansu Province. Acta Herpetol. Sinica 2(3):66-57. (In Chinese -English Summary).
- YONEDA, Y. 1981. Additional report of Ixodes nipponensis found on the small reptile, Takydromus tachydromoides in Kyushu. Japanese J. sanit. Zool. 32(1):82-83. illus. (In Japanese: English Summary).
- YU, H.-T. & DAY, T.T. 1984. The occurrence of Takydromus sauteri in central Taiwan. J. Taiwan Mus. 37(2):57-58. illus.
- YUAN, H. 1983. A herpetological survey in the Huoditang forest of the Qinling Mountains. Acta Herpetologica Sinica 2(3):70-71. (In Chinese: English Summary).
- YUHUA YANG, Zhengfu & ZHAO, E. 1989. Karyotypic studies of Sphenomorphus indicus (Scincidae) and Takydromus septentrionalis (Lacertidae). Chinese Herpetol. Res. 2(2):55-59. (In English).
- ZHAO, Er-mi. 1977. Systematic key to Chinese reptiles. Pekin, i-vi, 111 pp. illus. (In Chinese).
- ZHAO, Er-mi. 1990. Herpetofauna and zoogeography of Hainan Island. 354-362, In: Zhao (ed). From Water Onto Land. A volume to commerorate the 90th birthday of the late Professor Liu, Cheng-zhao. 454 pp. plus 31 pl.

- ZHAO, Ken-tang, ZHANG, X. & CHEN, Li-Lua. 1990. Study on the autotomy and regeneration of the tail of the grass lizard and the gecko. 138-133, In: From Water Onto Land. A volume to commerorate the 90th birthday of the late Professor Liu, Cheng-zhao. Ermi Zhao (ed). 454 pp. 31 pp. plates C.S.S.A.R.
- ZHAO, Xiu-bi. 1990. Herpetological survey in transition zone between Mt. Nan Ling and Mt. Xuefeng. 232-235, In: Zhao, Ermi, (ed). From Water Onto Land. A volume to commerorate the 90th birthday of the late Professor Liu, Cheng-zhao. 454 pp. plus 31 pp. plates. C.S.S.A.R.
- ZHAO, Ji. (ed). 1990. The Natural History of China. McGraw Hill Publ. Co., 223 pp. illus.
- ZOU, S. 1983. A survey of amphibians and reptiles in Huabei and Dabie Shan. Acta Herpetologica Sinica 2(3):74-76. (In Chinese: English Summary).

PAPERS NOT SEEN OR LOCATED

- LUE, K.Y., CHEN, S.H. & YEH, K.K.C. 1989. The amphibians and reptiles of Kenting National Park. Kenting Nat. Park Publ. Henchung Publ. 129pp. (In Chinese).
- NAKAMURA, K. & UENO, S.I. 1963. Japanese Reptiles and Amphibians in Colour. Hoikusha Osaka 214 pp. (In Japanese).